



山东蓝思铝业科技有限公司

SHANDONG LANSI ALUMINUM TECHNOLOGY CO.,LTD.

2023 Version
综合目录Catalogue

Company
Brief Introduction

>>> 公司简介



山东蓝思铝业科技有限公司是一家从事工业铝型材设计、生产、销售的综合性企业。其产品和服务涵盖模具设计、工业铝型材挤压及表面的各种氧化处理、铝制品深加工、工业铝型材框架及装配线型材开发安装。公司自成立以来，一直专注于挤压工业铝型材及深加工，始终秉承“诚信创新”的企业宗旨，以“质量与服务”为经营之本，依托强大的生产制造支持，为客户提供铝型材领域的一站式服务。

我们竭诚欢迎国内外新老客户前来洽谈合作，愿与您共同发展，共创美好明天！

Shandong Lanshi Aluminum Technology Co. Ltd. is a comprehensive enterprise engaged in the design, production and sales of industrial aluminum profiles. Its products and services cover mold design, industrial aluminum profile extrusion, various oxidation treatments on the surface, aluminum products deep processing, industrial aluminum profile framework and assembly line profile development and installation. Since its establishment, the company has been focusing on extrusion industrial aluminum profiles and deep processing, always adhering to the enterprise tenet of "integrity and innovation", taking "quality and service" as the foundation of business, relying on strong production and manufacturing support, and providing customers with one-stop service in the aluminum profile field.

We sincerely welcome new and old customers at home and abroad to come to negotiate and cooperate, and are willing to work with you to develop together for a better tomorrow!

产品目录 Product catalog

主营产品	Main Products	02
应用领域	Application	04
工业铝型材	Industrial Aluminum Profile	14
连接件	Connector	36
紧固件	Fastening Elements	76
门配件	Door and Window Elements	94
底座支撑配件	Base Support Accessories	108
防护配件	Protective Fitting	145
工作台配件	Accessories for Workbenches	161
精益生产配件	Lean Manufacturing Parts	170





Main Products

>>> 主营产品

铝型材 铝型材配件

Aluminum Profile

- ◎ 开模定制
Ope-Die Customization
- ◎ 工厂现货
Inventory in mill
- ◎ 快速安装
Quick Installation
- ◎ 配件齐全
Complete Accessories




Application

>>> 应用领域

工业机架系列

Industrial Frame

- ◎ 展示框架
Display Frame
- ◎ 设备支架
Equipment Bracket
- ◎ 线体框架
Assembly Line Frame
- ◎ 步梯支架
Stair Bracket and Platform



Application >>> 应用领域

工业机柜系列

Industrial Cabinet Series

- ◎ 铝型材电气柜
Electrical Cabinet
- ◎ 多功能移动柜
Multifunctional Mobile Cabinet
- ◎ 铝型材储物柜
Storage Cabinet
- ◎ 产品展示柜
Exhibition Cabinet





Application >>> 应用领域

安全防护系列

Safety Protection Series

- ◎ 工业围栏
Industrial Guard Fence
- ◎ 区域隔断
Regional Partition
- ◎ 设备护罩
Equipment Cover
- ◎ 防护房体
Protective Housing



Application >>> 应用领域

工作台系列

Workbench Series

- ◎ 检测工作台
Inspection Workbench
- ◎ 装配工作台
Assembly Workbench
- ◎ 流水线工作台
Assembly Line Workbench
- ◎ 多功能工作台
Multifunctional Workbench




Application >>> 应用领域

精益生产系统

Lean Production System

- ◎ 流利条货架 Shelves with Fluent Strips
- ◎ 周转车 Turnover Car
- ◎ 精益管工作台 Lean Tube Workbench
- ◎ 精益流水线 Lean Assembly Line







01

Industrial Aluminum Profile
>>> 工业铝型材


P18 欧标系列
European Standard
Series




P30 国标系列
Chinese Standard
Series




P32 特殊系列
Special Type
Series



P34 柔性链系列
Flexible Chain
Series



P35 倍速链系列
Double Speed
Chain series



Technical Parameters

>>> 技术参数

工业铝型材执行标准 GB 5237-2008
Industrial Aluminum Profile as per GB 5237-2008

化学成分 Chemical Composition

Grade 合金牌号	Chemical Composition 化学成分	硅 Silicon	铁 Ferrum	铜 Copper	锰 Manganese	镁 Magnesium	铬 Chromium	锌 Zinc	钛 Titanium	其他 other		铝 Aluminum
		Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	单个 A single	合计 A combined	Al
6063		0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.05	0.15	余量 Allowance

注：栏内单一数值为最大允许含量。Note:The data in the column is the maximum allowable content.

机械性能 Mechanical Performance

合金牌号 Grade	状态 Temper	抗拉强度 Tensile Strength	屈服强度 Yield Strength	弹性模量 E-module	伸长率 Elongation	维氏硬度 Vickers- Hardness	韦氏硬度 Webster- Hardness
6063	T5	≥ 160Mpa	≥ 110Mpa	7.0×10 ⁴ N/mm ²	≥ 8%	HV ≥ 58	HW ≥ 58

工业铝型材尺寸偏差执行标准 GB/T 14846-2014
The size deviation of industrial aluminum profiles as per GB14846-2014

允许的纵向弯曲度 Allowable Longitudinal Curvature

外接圆直径 Circumscribed Circle Diameter	型材最小 公称壁厚 Mini Nominal Wall Thickness	纵向弯曲度 Longitudinal Curvature (mm)					
		普通级 Common Grade		高精级 High Precision Grade		超高精级 Super High Precision Grade	
		每米长度上 Length/m	全长 (L 米) 上 Total Length	每米长度上 Length/m	全长 (L 米) 上 Total Length	每米长度上 Length/m	全长 (L 米) 上 Total Length
≤ 40.00	≤ 2.50	不检验 no inspection required	不检验 no inspection required	≤ 4.0	≤ 4.0×L	≤ 2.0	≤ 2.0×L
	> 2.50	≤ 2.0	≤ 2.0×L	≤ 1.0	≤ 1.0×L	≤ 0.6	≤ 0.6×L
> 40.00~300.00	-	≤ 2.0	≤ 2.0×L	≤ 1.0	≤ 1.0×L	≤ 0.6	≤ 0.6×L

允许的扭拧度 Allowable Twist

公称宽度 W Nominal Width	下列长度 (L 米) 上的扭拧度不大于 (mm) Twist no more than					
	普通级 Common Grade		高精级 High Precision Grade		超高精级 Super High Precision Grade	
	<1m	1m~6m	<1m	1m~6m	<1m	1m~6m
≤ 30.00	2.0	5.0	1.2	2.5	1.0	2.0
> 30.00~50.00	2.5	5.0	1.5	3.0	1.0	2.0
> 50.00~100.00	4.0	6.5	2.0	3.5	1.0	2.5
> 100.00~200.00	4.5	12.0	2.5	5.0	1.2	3.5

Calculation of Deformation

>>> 受力变形量计算

参考工业铝型材机械指标，通过公式计算变形量，可对铝型材进行强度校验。

Referring to the mechanical performance index of industrial aluminum profiles, the deformation can be calculated by the formula, and the strength of aluminum profiles can be checked.

参数值:

Parameter Value:

f 变形量 mm

F 载荷 N

E 弹性模量 N/mm²

I 惯性矩 cm⁴

L 型材长度 mm

f Deflection (mm)

F Type of Load (N)




E Modulus of elasticity (N/mm²)

I Inertia Moment (cm⁴)

L Profile Length (mm)




静载荷状态下铝型材变形量计算:

Calculation of deformation of aluminum profile under static load state:

载重状态 Load Status	示意图 Schematic Diagram	计算公式 Calculation Formula
一端固定 Fixed at one end		$f = \frac{F \times L^3}{3E \times I \times 10^4}$
两端支撑 Supported at both ends		$f = \frac{F \times L^3}{48E \times I \times 10^4}$
两端固定 Fixed at both ends		$f = \frac{F \times L^3}{192E \times I \times 10^4}$

无载荷状态下铝型材变形量计算:

Calculation of deformation of aluminum profile under no load state:

载重状态 Load Status	示意图 Schematic Diagram	计算公式 Calculation Formula
一端固定 Fixed at one end		$f = \frac{F \times L^3}{8E \times I \times 10^4}$
两端支撑 Supported at both ends		$f = \frac{5F \times L^3}{384E \times I \times 10^4}$
两端固定 Fixed at both ends		$f = \frac{F \times L^3}{384E \times I \times 10^4}$

Approximate Determination of Deflection

>>> 变形量简易查找表

参数值:

Parameter Value:

f 变形量 mm

F 载荷 N

I 惯性矩 cm⁴

L 型材长度 mm

f Deflection (mm)

F Type of Load (N)

I Inertia Moment (cm⁴)

L Profile Length (mm)

示例:

长度 1000mm 的
LS-8-4080B 型材,
惯性矩为 69.54 cm⁴,
两端支撑负载 2000N 的
情况下变形量
f=0.7mm



Example:


LS-8-4080B aluminum profile with
the length of 1000mm, the moment of
inertia is 69.54 cm⁴.
When the supported load at both ends
is 2000N, the deformation amount
f=0.7mm.

静载荷一端固定
Fixed at one end under static load

静载荷两端支撑
Supported at both ends under static load

静载荷两端固定
Fixed at both end under static load







Industrial Aluminum Profile LS-20 series >>> 工业铝型材 20 系列

特点：功能齐全，体积较小，成本较低
Features: Complete functions, compact size, low cost


用途：适用于空间有限的场合及尺寸较小的防护罩、展示架等产品
Application: Suitable for occasions with limited space and small size protective covers, display frame etc



LS-6-2020



LS-6-2040




LS-6-2060




LS-6-2080


LS-6-2020




LS-6-2040




LS-6-2060



LS-6-2080




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-6-2020	6063-T5	6000	0.72	0.72	0.72	0.72	20.0.1.020020.01
LS-6-2040	6063-T5	6000	1.30	4.90	1.30	2.40	20.0.1.020040.01
LS-6-2060	6063-T5	6000	2.06	16.08	2.06	5.36	20.0.1.020060.01
LS-6-2080	6063-T5	6000	2.72	32.08	2.72	9.02	20.0.1.020080.01




Industrial Aluminum Profile LS-30 series >>> 工业铝型材 30 系列

特点：体积较小，强度相对较高，安装坚固牢靠
Features: Compact size, relatively high strength, firm and reliable installation


用途：适用于小型工作架台、防护罩等铝型材组装产品
Application: Applicable to aluminum profile assembly products, such as small workbench and protective covers




LS-8-3030R




LS-8-3030




LS-8-3030XK




LS-8-3030BL




LS-8-3060




LS-8-3090




LS-8-30120




LS-8-30150



LS-8-6060




LS-8-6090




LS-8-60120


LS-8-3030R




LS-8-3030




LS-8-3030XK




LS-8-3030BL




LS-8-3060




LS-8-3090




LS-8-30120




LS-8-30150




LS-8-6090



LS-8-60120




LS-8-6060




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-8-3030R	6063-T5	6000	2.12	2.12	1.31	1.31	30.0.1.030030.01
LS-8-3030	6063-T5	6000	2.86	2.86	1.78	1.78	30.0.1.030030.02
LS-8-3030XK	6063-T5	6000	2.72	2.72	1.70	1.70	30.0.1.030030.03
LS-8-3030BL	6063-T5	6000	2.98	2.98	2.05	2.05	30.0.1.030030.04
LS-8-3060	6063-T5	6000	5.30	19.50	3.50	6.50	30.0.1.030060.01
LS-8-3090	6063-T5	6000	8.02	59.86	5.38	13.60	30.0.1.030090.01
LS-8-30120	6063-T5	6000	10.90	140.60	7.20	23.70	30.0.1.030120.01
LS-8-30150	6063-T5	6000	13.60	274.60	9.10	36.60	30.0.1.030150.01
LS-8-6060	6063-T5	6000	35.30	35.30	11.80	11.80	30.0.1.060060.01
LS-8-6090	6063-T5	6000	49.60	103.70	15.80	22.80	30.0.1.060090.01
LS-8-60120	6063-T5	6000	73.10	253.50	24.40	42.30	30.0.1.060120.01

Industrial Aluminum Profile LS-40 series 工业铝型材 40 系列




特点：应用广泛，相关配件丰富，具有较强的承载力
Features: Wide range of applications, rich accessories, strong bearing capacity


用途：适用于各种型材架体、防护围栏、工作台等铝型材组装产品
Application: Suitable for aluminum profile assembly products, such as various profile frames, protective fences, workbenches, etc




LS-8-4040R




LS-8-4040B




LS-8-4040C




LS-8-4040D




LS-8-4040E




LS-8-4040F




LS-8-4040K




LS-8-4040XK




LS-8-4040BL




LS-8-4040BH




LS-8-4040-45°




LS-8-4060




LS-8-4060C




LS-8-4080B




LS-8-4080C




LS-8-4080D




LS-8-4080F




LS-8-4080XK




LS-8-40120




LS-8-40160




LS-8-8080




LS-8-8080B




LS-8-8080C




LS-8-8080E




LS-8-8840R



LS-8-80120




LS-8-80160




LS-8-80160C


LS-8-4040R




LS-8-4040B




LS-8-4040C




LS-8-4040D




LS-8-4040E




LS-8-4040F




LS-8-4040K




LS-8-4040XK




LS-8-4040BL




LS-8-4040BH




LS-8-4040-45°




LS-8-4060




LS-8-4060C




LS-8-4080B




LS-8-4080C




LS-8-4080D




LS-8-4080F




LS-8-4080XK




LS-8-40120




LS-8-8080




LS-8-40160




LS-8-8080B




LS-8-8080C




LS-8-8080E




LS-8-8840R




LS-8-80160




LS-8-80120



LS-8-80160C




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-8-4040R	6063-T5	6000	6.15	6.15	2.84	2.84	40.0.1.040040.01
LS-8-4040B	6063-T5	6000	9.40	9.40	5.10	5.10	40.0.1.040040.02
LS-8-4040C	6063-T5	6000	8.70	8.70	4.68	4.68	40.0.1.040040.03
LS-8-4040D	6063-T5	6000	10.20	10.20	5.32	5.32	40.0.1.040040.04
LS-8-4040E	6063-T5	6000	7.30	7.30	4.25	4.25	40.0.1.040040.05
LS-8-4040F	6063-T5	6000	8.70	8.70	4.68	4.68	40.0.1.040040.06
LS-8-4040K	6063-T5	6000	8.62	8.62	4.62	4.62	40.0.1.040040.07
LS-8-4040XK	6063-T5	6000	8.53	8.53	4.58	4.58	40.0.1.040040.08
LS-8-4040BL	6063-T5	6000	9.60	9.60	4.86	4.86	40.0.1.040040.09
LS-8-4040BH	6063-T5	6000	9.96	9.65	4.60	4.92	40.0.1.040040.10
LS-8-4040-45°	6063-T5	6000	5.81	4.15	2.42	2.31	40.0.1.040040.11
LS-8-4060	6063-T5	6000	15.44	31.60	7.16	10.93	40.0.1.040060.01
LS-8-4060C	6063-T5	6000	12.80	25.90	6.40	8.60	40.0.1.040060.02
LS-8-4080B	6063-T5	6000	16.60	69.54	8.30	17.38	40.0.1.040080.01
LS-8-4080C	6063-T5	6000	14.09	54.86	7.58	14.45	40.0.1.040080.02
LS-8-4080D	6063-T5	6000	21.60	82.00	9.60	19.20	40.0.1.040080.03
LS-8-4080F	6063-T5	6000	14.09	54.86	7.58	14.45	40.0.1.040080.04
LS-8-4080XK	6063-T5	6000	13.86	53.96	7.03	14.12	40.0.1.040080.05
LS-8-40120	6063-T5	6000	24.10	216.54	12.06	34.64	40.0.1.040120.01
LS-8-40160	6063-T5	6000	31.75	488.20	15.36	60.23	40.0.1.040160.01
LS-8-8080	6063-T5	6000	134.06	134.06	33.51	33.51	40.0.1.080080.01
LS-8-8080B	6063-T5	6000	171.10	171.10	41.36	41.36	40.0.1.080080.02
LS-8-8080C	6063-T5	6000	108.32	108.32	26.78	26.78	40.0.1.080080.03
LS-8-8080E	6063-T5	6000	106.26	106.26	25.17	25.17	40.0.1.080080.04
LS-8-8840R	6063-T5	6000	72.97	72.97	18.74	18.74	40.0.1.808040.01
LS-8-80120	6063-T5	6000	236.21	488.30	58.64	87.20	40.0.1.080120.01
LS-8-80160	6063-T5	6000	356.30	1196.70	88.60	150.30	40.0.1.080160.01
LS-8-80160C	6063-T5	6000	267.07	907.88	66.70	113.41	40.0.1.080160.02




Industrial Aluminum Profile LS-45 series
工业铝型材 45 系列

特点：承载力高，坚固可靠
Features: High bearing capacity, strong and reliable


用途：适用于载重较大的型材架体、机柜等铝型材组装产品
Application: Suitable for aluminum profile assembly products, such as profile frames and cabinets with heavy loads



LS-10-4545R LS-10-4545 LS-10-4545C LS-10-4560 LS-10-4590 LS-10-9090




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-10-4545R	6063-T5	6000	11.30	11.30	4.50	4.50	45.0.1.045045.01
LS-10-4545	6063-T5	6000	14.20	14.20	6.40	6.40	45.0.1.045045.02
LS-10-4545C	6063-T5	6000	13.60	13.60	5.90	5.90	45.0.1.045045.03
LS-10-4560	6063-T5	6000	16.32	26.80	7.58	9.51	45.0.1.045060.01
LS-10-4590	6063-T5	6000	26.27	100.17	11.32	22.68	45.0.1.045090.01
LS-10-9090	6063-T5	6000	178.14	178.14	42.76	42.76	45.0.1.090090.01




Industrial Aluminum Profile LS-50 series with 8mm Slot
工业铝型材 50-8 系列

特点：承载力高，安装坚固牢靠，槽型与40系列铝型材相同
Features: High bearing capacity, firm and reliable installation, the same slot shape as 40 series aluminum profiles


用途：适用于载重较大的型材架体、支撑底座等铝型材组装产品
Application: Suitable for aluminum profile assembly products such as profile frames and support bases with heavy loads



LS-8-5050 LS-8-5050C LS-8-50100 LS-8-100100




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-8-5050	6063-T5	6000	25.80	25.80	10.32	10.32	50.0.1.050050.01
LS-8-5050C	6063-T5	6000	20.40	20.40	8.20	8.20	50.0.1.050050.02
LS-8-50100	6063-T5	6000	51.21	191.09	20.48	38.22	50.0.1.050100.01
LS-8-100100	6063-T5	6000	447.20	447.20	89.42	89.42	50.0.1.100100.01



Industrial Aluminum Profile LS-50 series with 10mm Slot 工业铝型材 50-10 系列

特点：承载力高，安装坚固牢靠，槽型与45系列铝型材相同
Features: High bearing capacity, firm and reliable installation, the same groove shape as 45 series aluminum profiles

用途：适用于载重较大的型材架体、支撑底座等铝型材组装产品
Application: Suitable for aluminum profile assembly products such as profile frames and support bases with heavy loads




LS-10-5050




LS-10-50100


LS-10-5050



LS-10-50100




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-10-5050	6063-T5	6000	20.34	20.34	8.14	8.14	50.0.1.050050.03
LS-10-50100	6063-T5	6000	36.17	152.61	14.47	30.52	50.0.1.050100.02




Industrial Aluminum Profile LS-60 series 工业铝型材 60 系列

特点：承载力高，安装坚固牢靠，槽型与45系列铝型材相同
Features: High bearing capacity, firm and reliable installation, the same slot shape as 45 series aluminum profiles


用途：适用于载重较大的型材架体、支撑底座等铝型材组装产品
Application: Suitable for aluminum profile assembly products such as profile frames and support bases with heavy loads



LS-10-6060




LS-10-6060B




LS-10-6060C


LS-10-6060




LS-10-6060B



LS-10-6060C




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-10-6060	6063-T5	6000	39.50	39.50	13.20	13.20	60.0.1.060060.01
LS-10-6060B	6063-T5	6000	35.50	35.50	11.10	11.10	60.0.1.060060.02
LS-10-6060C	6063-T5	6000	30.50	30.50	9.10	9.10	60.0.1.060060.03




Industrial Aluminum Profile Chinese Standard Series 工业铝型材国标系列

特点：四周倒角较小，截面线条硬朗，槽型与欧标型材有区别
Features: Smaller corners all around, tough cross-section lines, groove shape is different from European standard profiles


用途：适用于型材架体、防护罩、工作台等铝型材组装产品
Application: Suitable for aluminum profile assembly products such as profile frames, protective covers, workbenches, etc





LS-GB-2040G LS-GB-2080G LS-GB-2080GC LS-GB-20120G




LS-GB-4040G LS-GB-4040GC LS-GB-4040GE LS-GB-4080G LS-GB-4080GC



LS-GB-8080G LS-GB-8080GC LS-GB-8840G




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	惯性矩 Inertia Moment I_x (cm ⁴)	惯性矩 Inertia Moment I_y (cm ⁴)	弯矩 Bending Moment W_x (cm ³)	弯矩 Bending Moment W_y (cm ³)	订货编号 Order No.
LS-GB-2040G	6063-T5	6000	2.40	5.20	2.40	2.60	GB.0.2.020040.01
LS-GB-2080G	6063-T5	6000	3.96	41.80	3.96	10.44	GB.0.2.020080.01
LS-GB-2080GC	6063-T5	6000	2.36	31.25	2.36	8.62	GB.0.2.020080.02
LS-GB-20120G	6063-T5	6000	32.40	106.20	15.30	20.60	GB.0.2.020120.01
LS-GB-4040G	6063-T5	6000	9.70	9.70	5.10	5.10	GB.0.2.040040.01
LS-GB-4040GC	6063-T5	6000	8.70	8.70	4.68	4.68	GB.0.2.040040.02
LS-GB-4040GE	6063-T5	6000	7.30	7.30	4.25	4.25	GB.0.2.040040.03
LS-GB-4080G	6063-T5	6000	21.60	82.00	9.60	19.20	GB.0.2.040080.01
LS-GB-4080GC	6063-T5	6000	14.09	54.86	7.58	14.45	GB.0.2.040080.02
LS-GB-8080G	6063-T5	6000	155.20	155.20	38.80	38.80	GB.0.2.080080.01
LS-GB-8080GC	6063-T5	6000	134.06	134.06	33.51	33.51	GB.0.2.080080.02
LS-GB-8840G	6063-T5	6000	95.32	95.32	20.54	20.54	GB.0.2.808040.01




Industrial Aluminum Profile - Special Type Series
>>> 工业铝型材特殊系列



特点：根据特殊使用需求定制
Features: Customized according to special usage requirements




LS-6-1028 LS-GB-1530G LS-8-1640 LS-8-1680 LS-8-3040 LS-8-3040C




LS-8-30150B LS-10-6363 LS-7070T LS-1329 LS-3033




LS-10-6363




LS-7070T




LS-1329



LS-3033




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	用途 Application	订货编号 Order No.
LS-6-1028	6063-T5	6000	常用于工作台的工艺文件看板制作 Commonly used in the production of process document carrier boards on the workbench	TS.0.3.010028.01
LS-GB-1530G	6063-T5	6000	常用于铝型材门框制作 Commonly used in the production of door frames	TS.0.3.015030.01
LS-8-1640	6063-T5	6000	常用于雕刻机等架体台面制作 Commonly used in frame & countertop production, such as engraving machines etc	TS.0.3.016040.01
LS-8-1680	6063-T5	6000	常用于雕刻机等架体台面制作 Commonly used in frame & countertop production, such as engraving machines etc	TS.0.3.016080.01
LS-8-3040	6063-T5	6000	常用于雕刻机等架体台面制作 Commonly used in frame & countertop production, such as engraving machines etc	TS.0.3.030040.01
LS-8-3040C	6063-T5	6000	常用于雕刻机等架体台面制作 Commonly used in frame & countertop production, such as engraving machines etc	TS.0.3.030040.02
LS-8-30150B	6063-T5	6000	常用于重型架体及台面制作 Commonly used in heavy duty frame and countertop production	TS.0.3.030150.01
LS-10-6363	6063-T5	6000	常用于 4040 型材的升降结构制作 Commonly used in the manufacture of lifting structures for 4040 profiles	TS.0.3.063063.01
LS-7070T	6063-T5	6000	常用于雕刻机等架体台面制作 Commonly used in frame & countertop production, such as engraving machines etc	TS.0.3.070070.01
LS-1329	6063-T5	6000	常用于 1530G 型材推拉门的制作 Commonly used in the production of 1530G profile sliding doors	TS.0.3.013029.01
LS-3033	6063-T5	6000	常用于吊装推拉门的制作 Commonly used in the production of hoisting sliding doors	TS.0.3.030033.01




Industrial Aluminum Profile - Flexible Chain Series
>>> 工业铝型材柔性链系列


特点：专用性型材，常搭配各种标准驱动装置及弯头使用
Features: Specialized profiles, often used with various standard driving devices and elbows




LS-RXL-2275




LS-RXL-2675



LS-RXL-6465




LS-RXL-7585




LS-RXL-75105


LS-RXL-2275




LS-RXL-2675




LS-RXL-6465




LS-RXL-7585



LS-RXL-75105




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	用途 Application	订货编号 Order No.
LS-RXL-2275	6063-T5	6000	水平半梁，常与柔性链型材组装搭配宽型柔性链板使用 Horizontal half beams, often assembled with flexible chain profiles and used with wide flexible chain plates	RX.0.4.022075.01
LS-RXL-2675	6063-T5	6000	水平半梁，常与柔性链型材组装搭配宽型链板使用 Horizontal half beams, often assembled with flexible chain profiles and used with wide flexible chain plates	RX.0.4.026075.01
LS-RXL-6465	6063-T5	6000	适用于 63 mm 宽链板 Suitable for 63 mm width chain plates	RX.0.4.064065.01
LS-RXL-7585	6063-T5	6000	适用于 83 mm 宽链板 Suitable for 83 mm width chain plates	RX.0.4.075085.01
LS-RXL-75105	6063-T5	6000	适用于 103 mm 宽链板 Suitable for 103 mm width chain plates	RX.0.4.075105.01




Industrial Aluminum Profile - Double Speed Chain Series
>>> 工业铝型材倍速链系列

特点：专用性型材，常搭配倍速链条使用
Features: Specialized profiles, often used with double-speed chains




LS-BSL-5585




LS-BSL-100118

LS-BSL-5585



LS-BSL-100118




产品名称 Description	材质 Grade	标准长度 Standard Length (mm)	用途 Application	订货编号 Order No.
LS-BSL-5585	6063-T5	6000	用于各种倍速链设备主体框架结构 Main frame structure for various double-speed chain equipment	BS.0.5.055085.01
LS-BSL-100118	6063-T5	6000	用于各种倍速链设备主体框架结构 Main frame structure for various double-speed chain equipment	BS.0.5.100118.01




Die Cast Bracket
>>> 压铸角铝


材质 Material:	铝合金 Aluminum Alloy
特点 Features:	安装便捷，通用性好 Easy installation and good universality
用途 Application:	型材的直角连接 Right angle connection of aluminum profiles



编号 Item No.	紧固组件 Fastening Elements
A1	圆柱头内六角螺栓 M4 × 8 Cylindrical head hexagon socket bolt M4x8
	平垫 M4 Washer M4
	T 型螺母 20-M4 T-Nut 20-M4
A2	圆柱头内六角螺栓 M5 × 10 Cylindrical head hexagon socket bolt M5 × 10
	平垫 M5 Washer M5
	T 型螺母 20-M5 T-Nut 20-M5






型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.1.2020.1
20	2020	2 × A1	20.1.1.2020.2
20	2028		20.1.1.2028.1
20	2028	2 × A2	20.1.1.2028.2






型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.1.1.3030.1
30	3030	2×B1	30.1.1.3030.2
30	3030	2×B2	30.1.1.3030.3
30	3060		30.1.1.3060.1
30	3060	4×B3	30.1.1.3060.2
30	3060	4×B4	30.1.1.3060.3
30	6060		30.1.1.6060.1
30	6060	8×B3	30.1.1.6060.2
30	6060	8×B4	30.1.1.6060.3

编号 Item No.	紧固组件 Fastening Elements
B1	圆柱头内六角螺栓 M6×12 Cylindrical head hexagon socket bolt M6×12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
B2	T 型螺栓 30-M6×12 T-bolt 30-M6×12
	法兰螺母 M6 Flange Nut M6
B3	圆柱头内六角螺栓 M6×16 Cylindrical head hexagon socket bolt M6×16
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
B4	T 型螺栓 30-M6×16 T-Nut 30-M6×16
	法兰螺母 M6 Flange Nut M6






型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040		40.1.1.4040.1
40	4040	2×C1	40.1.1.4040.2
40	4040	2×C2	40.1.1.4040.3
40	4080		40.1.1.4080.1
40	4080	4×C3	40.1.1.4080.2
40	4080	4×C4	40.1.1.4080.3
40	8080		40.1.1.8080.1
40	8080	8×C3	40.1.1.8080.2
40	8080	8×C4	40.1.1.8080.3

编号 Item No.	紧固组件 Fastening Elements
C1	圆柱头内六角螺栓 M6×16 Cylindrical head hexagon socket bolt M6×16
	大平垫 M6 Big Washer M6
	T 型螺母 40-M6 T-Nut 40-M6
C2	T 型螺栓 40-M8×16 T-Bolt 40-M8x16
	法兰螺母 M8 Flange Nut M8
C3	圆柱头内六角螺栓 M8×20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	滑块螺母 40-M8 Sliding Nut 40-M8
C4	T 型螺栓 40-M8×20 T-Bolt 40-M8X20
	法兰螺母 M8 Flange Nut M8





型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
45、50-10、60	4545-10		45.1.1.4545.1
45、50-10、60	4545-10	2×D1	45.1.1.4545.2
45、50-10、60	4545-10	2×D2	45.1.1.4545.3
45、50-10、60	4590		45.1.1.4590.1
45、50-10、60	4590	4×D1	45.1.1.4590.2
45、50-10、60	4590	4×D2	45.1.1.4590.3
45	9090		45.1.1.9090.1
45	9090	8×D1	45.1.1.9090.2
45	9090	8×D3	45.1.1.9090.3

编号 Item No.	紧固组件 Fastening Elements
D1	圆柱头内六角螺栓 M8×20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-Nut 45-M8
D2	T 型螺栓 45-M8×20 T-Bolt 45-M8x20
	法兰螺母 M8 Flange Nut M8
D3	T 型螺栓 45-M8×25 T-Bolt 45-M8x25
	法兰螺母 M8 Flange Nut M8



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
50-8	4545-8		50.1.1.4545.1
50-8	4545-8	2×C3	50.1.1.4545.2
50-8	4545-8	2×C4	50.1.1.4545.3
50	100100		50.1.1.100100.1
50	100100	8×C3	50.1.1.100100.2
50	100100	8×C5	50.1.1.100100.3

编号 Item No.	紧固组件 Fastening Elements
C3	圆柱头内六角螺栓 M8×20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	滑块螺母 40-M8 Sliding Nut 40-M8
C4	T 型螺栓 40-M8×20 T-Bolt 40-M8X20
	法兰螺母 M8 Flange Nut M8
C5	T 型螺栓 40-M8×25 T-Bolt 40-M8x25
	法兰螺母 M8 Flange Nut M8







90-Degree series Extrusion Bracket
»» 90 度系列挤压角铝

材质 Material:	铝合金 Aluminum Alloy
特点 Features:	挤压加工，安装便捷，灵活及通用性好 Extrusion processing, convenient installation, good flexibility and universality
用途 Application:	型材的直角连接 Right angle connection of aluminum profiles



编号 Item No.	紧固组件 Fastening Elements
A2	圆柱头内六角螺栓 M5 × 10 Cylindrical head hexagon socket bolt M5 × 10
	平垫 M5 Washer M5
	T 型螺母 20-M5 T-Nut 20-M5




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020-90°		20.1.2.2020.1.1
20	2020-90°	2 × A2	20.1.2.2020.1.2





编号 Item No.	紧固组件 Fastening Elements
B1	圆柱头内六角螺栓 M6 × 12 Cylindrical head hexagon socket bolt M6 × 12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030-90°		30.1.2.3030.1.1
30	3030-90°	2 × B1	30.1.2.3030.1.2
30	3060A-90°		30.1.2.3060.1.1
30	3060A-90°	4 × B1	30.1.2.3060.1.2
30	3060B-90°		30.1.2.3060.2.1
30	3060B-90°	4 × B1	30.1.2.3060.2.2



编号 Item No.	紧固组件 Fastening Elements
C1	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040-90°		40.1.2.4040.1.1
40	4040-90°	2 × C1	40.1.2.4040.1.2
40	4080A-90°		40.1.2.4080.1.1
40	4080A-90°	4 × C1	40.1.2.4080.1.2
40	4080B-90°		40.1.2.4080.2.1
40	4080B-90°	4 × C1	40.1.2.4080.2.2







90-Degree reinforced series Extrusion Bracket
 >>> 90 度加强系列挤压角铝

材质 Material:	铝合金 Aluminum Alloy
特点 Features:	连接强度高，安装便捷，灵活及通用性好 High connection strength, convenient installation, good flexibility and versatility
用途 Application:	型材的直角连接 Right-angle connection of aluminum profiles





型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.1.3.3030.1
30	3030	2 × B3	30.1.3.3030.2
30	3060		30.1.3.3060.1
30	3060	4 × B3	30.1.3.3060.2

编号 Item No.	紧固组件 Fastening Elements
B3	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6





型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040		40.1.3.4040.1
40	4040	2 × C3	40.1.3.4040.2
40	4080		40.1.3.4080.1
40	4080	4 × C3	40.1.3.4080.2

编号 Item No.	紧固组件 Fastening Elements
C3	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	滑块螺母 40-M8 Sliding Nut 40-M8




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
45	4545		45.1.3.4545.1
45	4545	2 × D1	45.1.3.4545.2
45	4590		45.1.3.4590.1
45	4590	4 × D1	45.1.3.4590.2



编号 Item No.	紧固组件 Fastening Elements
D1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-Nut 45-M8



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
50	5050		50.1.3.5050.1
50-8	5050	2 × C3	50.1.3.5050.2
50-10	5050	2 × D1	50.1.3.5050.3
50	50100		50.1.3.50100.1
50-8	50100	4 × C3	50.1.3.50100.2
50-10	50100	4 × D1	50.1.3.50100.3




编号 Item No.	紧固组件 Fastening Elements
C3	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	滑块螺母 40-M8 Sliding Nut 40-M8
D1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8x20
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-Nut 45-M8




45-Degree Series Extrusion Bracket
>>> 45 度系列挤压角铝


材质 Material:	铝合金 Aluminum Alloy
特点 Features:	挤压加工，安装便捷，灵活及通用性好 Extrusion processing, convenient installation, good flexibility and universality
用途 Application:	型材的45度连接 45-degree connection of aluminum profiles



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030-45°		30.1.4.3030.1
30	3030-45°	2 × B4	30.1.4.3030.2
30	3060-45°		30.1.4.3060.1
30	3060-45°	4 × B4	30.1.4.3060.2



编号 Item No.	紧固组件 Fastening Elements
B4	T 型螺栓 30-M6 × 16 T-Nut 30-M6 × 16
	法兰螺母 M6 Flange Nut M6







型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040-45°		40.1.4.4040.1
40	4040-45°	2 × C4	40.1.4.4040.2
40	4080-45°		40.1.4.4080.1
40	4080-45°	4 × C4	40.1.4.4080.2

编号 Item No.	紧固组件 Fastening Elements
C4	T 型螺栓 40-M8×20 T-Bolt 40-M8x20
	法兰螺母 M8 Flange Nut M8


型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
45	4545-45°		45.1.4.4545.1
45	4545-45°	2 × D2	45.1.4.4545.2
45	4590-45°		45.1.4.4590.1
45	4590-45°	4 × D2	45.1.4.4590.2

编号 Item No.	紧固组件 Fastening Elements
D2	T 型螺栓 45-M8×20 T-Bolt 45-M8x20
	法兰螺母 M8 Flange Nut M8





135-Degree series Extrusion Bracket >>> 135 度系列挤压角铝

材质 Material:	铝合金 Aluminum Alloy
特点 Features:	挤压加工，安装便捷，灵活及通用性好 Extrusion processing, convenient installation, good flexibility and universality
用途 Application:	型材的135度连接 135-degree connection of aluminum profiles



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030-135°		30.1.5.3030.1
30	3030-135°	2 × B4	30.1.5.3030.2
30	3060-135°		30.1.5.3060.1
30	3060-135°	4 × B4	30.1.5.3060.2

编号 Item No.	紧固组件 Fastening Elements
B4	T 型螺栓 30-M6×16 T-Nut 30-M6×16
	法兰螺母 M6 Flange Nut M6







型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040-135°		40.1.5.4040.1
40	4040-135°	2 × C4	40.1.5.4040.2
40	4080-135°		40.1.5.4080.1
40	4080-135°	4 × C4	40.1.5.4080.2

编号 Item No.	紧固组件 Fastening Elements
C4	T 型螺栓 40-M8×20 T-Bolt 40-M8x20
	法兰螺母 M8 Flange Nut M8

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
45	4545-135°		45.1.5.4545.1
45	4545-135°	2 × D2	45.1.5.4545.2
45	4590-135°		45.1.5.4590.1
45	4590-135°	4 × D2	45.1.5.4590.2


编号 Item No.	紧固组件 Fastening Elements
D2	T 型螺栓 45-M8×20 T-Bolt 45-M8x20
	法兰螺母 M8 Flange Nut M8





Anchor Connector
>>> 锚式连接件

材质 Material:	碳钢镀锌 Zinc-plated steel
特点 Features:	隐藏式连接，方便安装板材和其他附件 Concealed connection, easy to install plates and other accessories
用途 Application:	型材的紧固连接 Fastening connection of aluminum profile

3040 直角万向型
LS-30 & LS-40 90-Degree Universal Type




4545 直角万向型
LS-4545 90-Degree Universal Type





型材系列 Profile Series	型号 Type No.	订货编号 Order No.
30、40	3040	40.1.6.3040.1
45	4545	45.1.6.4545.1

3040 直角 0° 型
3040 Right-angle 0-Degree Type




4545 直角 0° 型
4545 Right-angle 0-Degree Type




型材系列 Profile Series	型号 Type No.	订货编号 Order No.
30、40	3040	40.1.6.3040.2
45	4545	45.1.6.4545.2

3040 直角 90° 型
 LS-30 & LS-40 Right-angle 90-Degree Type




4545 直角 90° 型
 LS-4545 Right-angle 90-Degree Type




型材系列 Profile Series	型号 Type No.	订货编号 Order No.
30、40	3040	40.1.6.3040.3
45	4545	45.1.6.4545.3


2020 转角 0° 型
 LS-2020 Oblique 0-Degree Type




3030 转角 0° 型
 LS-3030 Oblique 0-Degree Type





4040 转角 0° 型
 LS-4040 Oblique 0-Degree Type




4545 转角 0° 型
 LS-4545 Oblique 0-Degree Type




型材系列 Profile Series	型号 Type No.	订货编号 Order No.
20	2020	20.1.6.2020.4
30	3030	30.1.6.3030.4
40	4040	40.1.6.4040.4
45	4545	45.1.6.4545.4




2020 转角 90° 型
 LS-2020 Oblique 90-Degree Type




3030 转角 90° 型
 LS-3030 Oblique 90-Degree Type




4040 转角 90° 型
 LS-4040 Oblique 90-Degree Type




4545 转角 90° 型
 LS-4545 Oblique 90-Degree Type





型材系列 Profile Series	型号 Type No.	订货编号 Order No.
20	2020	20.1.6.2020.5
30	3030	30.1.6.3030.5
40	4040	40.1.6.4040.5
45	4545	45.1.6.4545.5




2020 对角 0° 型
 LS-2020 Miter 0-Degree Type





3030 对角 0° 型
 LS-3030 Miter 0-Degree Type




2020 对角 90° 型
 LS-2020 Miter 90-Degree Type




3030 对角 90° 型
 LS-3030 Miter 90-Degree Type



4040 对角 0° 型
 LS-4040 Miter 0-Degree Type




4545 对角 0° 型
 LS-4545 Miter 0-Degree Type




型材系列 Profile Series	型号 Type No.	订货编号 Order No.
20	2020	20.1.6.2020.6
30	3030	30.1.6.3030.6
40	4040	40.1.6.4040.6
45	4545	45.1.6.4545.6

4040 对角 90° 型
 LS-4040 Miter 90-Degree Type



4545 对角 90° 型
 LS-4545 Miter 90-Degree Type



型材系列 Profile Series	型号 Type No.	订货编号 Order No.
20	2020	20.1.6.2020.7
30	3030	30.1.6.3030.7
40	4040	40.1.6.4040.7
45	4545	45.1.6.4545.7







Inside Hidden Corner Bracket »» 角槽连接件

材质 Material: 碳钢镀镍 Nickel-plated steel

特点 Features: 隐藏式连接, 连接强度较低
Hidden connection, low connection strength

用途 Application: 型材的直角连接
Right angle connection of aluminum profiles

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	20-M4		20.1.7.2020.1.1
20	20-M4	2 × E1	20.1.7.2020.1.2
20	20-M5		20.1.7.2020.2.1
20	20-M5	2 × E2	20.1.7.2020.2.2
30	30-M6		30.1.7.3030.1.1
30	30-M6	2 × E3	30.1.7.3030.1.2
40、50-8	40-M6		40.1.7.4040.1.1
40、50-8	40-M6	2 × E4	40.1.7.4040.1.2
45、50-10、60	45-M8		45.1.7.4545.1.1
45、50-10、60	45-M8	2 × E5	45.1.7.4545.1.2
国标 Chinese Standard	40G-M6		GB.1.7.4040.1.1
国标 Chinese Standard	40G-M6	4 × E4	GB.1.7.4040.1.2
1530G	1530L		GB.1.7.1530.1.1
1530G	1530L	4 × E3	GB.1.7.1530.1.2
2040G	2040L		GB.1.7.2040.1.1
2040G	2040L	4 × E5	GB.1.7.2040.1.2



编号 Item No.	紧固组件 Fastening Elements
E1	顶丝 M4 × 6 Hexagon socket headless bolts M4x6
E2	顶丝 M5 × 6 Hexagon socket headless bolts M5x6
E3	顶丝 M6 × 8 Hexagon socket headless bolts M6x8
E4	顶丝 M6 × 12 Hexagon socket headless bolts M6x12
E5	顶丝 M8 × 12 Hexagon socket headless bolts M8x12




Inside Hidden Corner Connector with adjustable angle »» 槽内任意角度连接件

材质 Material: 碳钢镀锌 Zinc-plated steel

特点 Features: 隐藏式连接, 连接强度较低
Hidden connection, low connection strength

用途 Application: 型材的任意角度连接
Any angle connection of aluminum profiles



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030A		30.1.8.3030.1.1
30	3030A	4 × E3	30.1.8.3030.1.2
30	3030B		30.1.8.3030.2.1
30	3030B	4 × E3	30.1.8.3030.2.2
40	4040A		40.1.8.4040.1.1
40	4040A	4 × E4	40.1.8.4040.1.2
40	4040B		40.1.8.4040.2.1
40	4040B	4 × E4	40.1.8.4040.2.2




编号 Item No.	紧固组件 Fastening Elements
E3	顶丝 M6 × 8 Hexagon socket headless bolts M6x8
E4	顶丝 M6 × 12 Hexagon socket headless bolts M6x12



Linear Bar Connector >>> 槽内直线连接件

材质 Material:	碳钢镀锌 Zinc-plated Steel
特点 Features:	隐藏式连接，可实现型材之间端面对接 Hidden connection, which can realize end-to-face connection between aluminum profiles
用途 Application:	型材的加长连接 Lengthened connection of aluminum profiles



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	20-M5		20.1.9.2020.1.1
20	20-M5	4 × E2	20.1.9.2020.1.2
30	30-M6		30.1.9.3030.1.1
30	30-M6	4 × E3	30.1.9.3030.1.2
40、50-8	40-M6		40.1.9.4040.1.1
40、50-8	40-M6	4 × E4	40.1.9.4040.1.2
40、50-8	40-M8		40.1.9.4040.2.1
40、50-8	40-M8	4 × E5	40.1.9.4040.2.2
45、50-10、60	45-M8		45.1.9.4545.1.1
45、50-10、60	45-M8	4 × E5	45.1.9.4545.1.2
国标 Chinese Standard	40G-M6		GB.1.9.4040.1.1
国标 Chinese Standard	40G-M6	4 × E4	GB.1.9.4040.1.2
国标 Chinese Standard	40G-M8		GB.1.9.4040.2.1
国标 Chinese Standard	40G-M8	4 × E5	GB.1.9.4040.2.2





编号 Item No.	紧固组件 Fastening Elements
E2	顶丝 M5 × 6 Hexagon socket headless bolts M5x6
E3	顶丝 M6 × 8 Hexagon socket headless bolts M6x8
E4	顶丝 M6 × 12 Hexagon socket headless bolts M6x12
E5	顶丝 M8 × 12 Hexagon socket headless bolts M8x12



3-Way End Corner Bracket Solid Connectors »» 三维内置角槽连接件

材质 Material:	铝合金 Aluminum Ally
特点 Features:	外形美观, 连接强度较低 Beautiful appearance, low connection strength
用途 Application:	型材的三维连接 Three-way connection of profiles

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.10.2020.1
20	2020	4 × E1	20.1.10.2020.2
30	3030		30.1.10.3030.1
30	3030	4 × E3	30.1.10.3030.2
40	4040		40.1.10.4040.1
40	4040	4 × E4	40.1.10.4040.2






编号 Item No.	紧固组件 Fastening Elements
E1	顶丝 M4 × 6 Hexagon socket headless bolts M4x6
E3	顶丝 M6 × 8 Hexagon socket headless bolts M6x8
E4	顶丝 M6 × 12 Hexagon socket headless bolts M6x12





3 Way - Rounded Corner Bracket »» 三维角件

材质 Material:	主体为铝合金, 端盖为ABS The main material is aluminum alloy, and the end cap is ABS
特点 Features:	连接拐角圆滑美观, 强度较高 The connection corner is smooth and beautiful, with high strength
用途 Application:	弧形型材的三维连接 Three way connection of curved aluminum profiles

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.11.2020.1
20	2020	3 × F1	20.1.11.2020.2
30	3030		30.1.11.3030.1
30	3030	3 × F2	30.1.11.3030.2
40	4040		40.1.11.4040.1
40	4040	3 × F2	40.1.11.4040.2
45	4545		45.1.11.4545.1
45	4545	3 × F3	45.1.11.4545.2



编号 Item No.	紧固组件 Fastening Elements
F1	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
F2	沉头内六角螺栓 M8 × 20 Countersunk head hexagon socket bolt M8x20
F3	沉头内六角螺栓 M12 × 30 Countersunk head hexagon socket bolt M12x30










Cube Corner Connector »» 直角连接块

材质 Material:	主体为铝合金，端盖为ABS The main material is aluminum alloy, the end cap is ABS
特点 Features:	连接美观，强度较高 Make the connection beautiful, high strength
用途 Application:	型材的三维连接 Three-way connection of profiles

两通直角连接块 Two way –Cube Corner Connector

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.12.2020.1.1
20	2020	2 × F1	20.1.12.2020.1.2
30	3030		30.1.12.3030.1.1
30	3030	2 × F2	30.1.12.3030.1.2
40	4040		40.1.12.4040.1.1
40	4040	2 × F2	40.1.12.4040.1.2
45	4545		45.1.12.4545.1.1
45	4545	2 × F3	45.1.12.4545.1.2






编号 Item No.	紧固组件 Fastening Elements
F1	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
F2	沉头内六角螺栓 M8 × 20 Countersunk head hexagon socket bolt M8x20
F3	沉头内六角螺栓 M12 × 30 Countersunk head hexagon socket bolt M12x30



三通直角连接块 Three way –Cube Corner Connector

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.12.2020.2.1
20	2020	3 × F1	20.1.12.2020.2.2
30	3030		30.1.12.3030.2.1
30	3030	3 × F2	30.1.12.3030.2.2
40	4040		40.1.12.4040.2.1
40	4040	3 × F2	40.1.12.4040.2.2
45	4545		45.1.12.4545.2.1
45	4545	3 × F3	45.1.12.4545.2.2


编号 Item No.	紧固组件 Fastening Elements
F1	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
F2	沉头内六角螺栓 M8 × 20 Countersunk head hexagon socket bolt M8x20
F3	沉头内六角螺栓 M12 × 30 Countersunk head hexagon socket bolt M12x30






Pivot Joint
>>> 活动铰链

材质 Material:	铝合金 Aluminum Ally
特点 Features:	旋转范围180°，可采用多种连接方式 The rotation range is 180°，and various connection methods can be used
用途 Application:	两段型材之间的活动连接 Active connection between two profiles




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.13.2020.1
20	2020	2 × G1	20.1.13.2020.2
20	2020	1 × G2	20.1.13.2020.3
20	2020	2 × G3	20.1.13.2020.4


编号 Item No.	紧固组件 Fastening Elements
G1 (A型连接 A-type Connection)	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
G2 (B型连接 B-type Connection)	圆柱头内六角螺栓 M6 × 10 Countersunk head hexagon socket bolt M6x10
	圆柱头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
	平垫 M6 Gasket M6
G3 (C型连接 C-type Connection)	滑块螺母 20-M6 Sliding Nut 20-M6
	圆柱头内六角螺栓 M6 × 10 Cylindrical head hexagon socket bolt M6 × 10
	平垫 M6 Washer M6
	滑块螺母 20-M6 Sliding Nut 20-M6





A型连接 A-type Connection




B型连接 B-type Connection




C型连接 C-type Connection



A型连接 A-type Connection



B型连接 B-type Connection




C型连接 C-type Connection

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.1.13.3030.1
30	3030	2 × G4	30.1.13.3030.2
30	3030	1 × G5	30.1.13.3030.3
30	3030	2 × G6	30.1.13.3030.4


编号 Item No.	紧固组件 Fastening Elements
G4 (A型连接 A-type Connection)	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20
G5 (B型连接 B-type Connection)	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20
	滑块螺母 30-M8 Sliding Nut 30-M8
G6 (C型连接 C-type Connection)	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	滑块螺母 30-M8 Sliding Nut 30-M8

4040




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
40	4040		40.1.13.4040.1
40	4040	2 × G4	40.1.13.4040.2
40	4040	1 × G7	40.1.13.4040.3
40	4040	2 × G8	40.1.13.4040.4


编号 Item No.	紧固组件 Fastening Elements
G4 (A 型连接 A-type Connection)	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20
G7 (B 型连接 B-type Connection)	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20
	滑块螺母 40-M8 Sliding Nut 40-M8
G8 (C 型连接 B-type Connection)	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	滑块螺母 40-M8 Sliding Nut 40-M8



A 型连接 A-type Connection




B 型连接 B-type Connection




C 型连接 C-type Connection

4545




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
45	4545		45.1.13.4545.1
45	4545	2 × G9	45.1.13.4545.2
45	4545	1 × G10	45.1.13.4545.3
45	4545	2 × G11	45.1.13.4545.4


编号 Item No.	紧固组件 Fastening Elements
G9 (A 型连接 A-type Connection)	圆柱头内六角螺栓 M12 × 30 Cylindrical head hexagon socket bolt M12 × 30
G10 (B 型连接 B-type Connection)	圆柱头内六角螺栓 M12 × 30 Cylindrical head hexagon socket bolt M12 × 30
	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-Nut 45-M8
G11 (C 型连接 C-type Connection)	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-nut 45-M8



A 型连接 A-type Connection



B 型连接 B-type Connection




C 型连接 C-type Connection




L Type Connection Plate
>>> L 型连接板

材质 Material:	碳钢镀镍 Nickel-plated steel
特点 Features:	安装便捷，通用性好 Convenient installation, good versatility
用途 Application:	型材表面的L型直角连接 L-shaped right-angle connection on the surface of aluminum profiles




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020L		20.1.14.2020.1
20	2020L	4 × H1	20.1.14.2020.2
30	3030L		30.1.14.3030.1
30	3030L	4 × B1	30.1.14.3030.2
40	4040L		40.1.14.4040.1
40	4040L	4 × C1	40.1.14.4040.2
45	4545L		45.1.14.4545.1
45	4545L	5 × G11	45.1.14.4545.2

编号 Item No.	紧固组件 Fastening Elements
H1	圆柱头内六角螺栓 M5 × 8 Cylindrical head hexagon socket bolt M5 × 8
	平垫 M5 Washer M5
	T 型螺母 20-M5 T-Nut 20-M5
B1	圆柱头内六角螺栓 M6 × 12 Cylindrical head hexagon socket bolt M6 × 12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
C1	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6
G11	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-nut 45-M8



T Shape Joining Plate
>>> T 型连接板

材质 Material:	碳钢镀镍 Nickel-plated steel
特点 Features:	安装便捷，通用性好 Convenient installation, good versatility
用途 Application:	型材表面的T型直角连接 T-shaped right-angle connection on the surface of profiles



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020T		20.1.15.2020.1
20	2020T	4 × H1	20.1.15.2020.2
30	3030T		30.1.15.3030.1
30	3030T	4 × B1	30.1.15.3030.2
40	4040T		40.1.15.4040.1
40	4040T	4 × C1	40.1.15.4040.2
45	4545T		45.1.15.4545.1
45	4545T	5 × G11	45.1.15.4545.1

编号 Item No.	紧固组件 Fastening Elements
H1	圆柱头内六角螺栓 M5 × 8 Cylindrical head hexagon socket bolt M5 × 8
	平垫 M5 Washer M5
	T 型螺母 20-M5 T-Nut 20-M5
B1	圆柱头内六角螺栓 M6 × 12 Cylindrical head hexagon socket bolt M6 × 12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
C1	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6
G11	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-nut 45-M8




Cross Shape Joining Plate >>> 十字型连接板

材质 Material: 碳钢镀镍 Nickel plated steel


特点 Features: 安装便捷, 通用性好
Convenient to install, good versatility

用途 Application: 型材表面的十字型直角连接
Cross-shaped right-angle connection on the surface of aluminum profiles


2020 +





3030 +



4545 +



4040 +



型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020 +		20.1.16.2020.1
20	2020 +	6 × H1	20.1.16.2020.2
30	3030 +		30.1.16.3030.1
30	3030 +	6 × B1	30.1.16.3030.2
40	4040 +		40.1.16.4040.1
40	4040 +	6 × C1	40.1.16.4040.2
45	4545 +		45.1.16.4545.1
45	4545 +	6 × G11	45.1.16.4545.2


编号 Item No.	紧固组件 Fastening Elements
H1	圆柱头内六角螺栓 M5 × 8 Cylindrical head hexagon socket bolt M5 × 8
	平垫 M5 Washer M5
	T 型螺母 20-M5 T-Nut 20-M5
B1	圆柱头内六角螺栓 M6 × 12 Cylindrical head hexagon socket bolt M6 × 12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
C1	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6
G11	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	平垫 M8 Washer M8
	T 型螺母 45-M8 T-nut 45-M8





Half Shaft Built-in Connector >>> 半轴连接件

材质 Material:	碳钢镀镍 Nickel plated steel
特点 Features:	安装美观, 连接强度高 Make the installation beautiful and the connection strength high
用途 Application:	型材之间的直角连接 Right angle connection between profiles

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
20	2020		20.1.17.2020.1
20	2020	1×I1	20.1.17.2020.2
30	3030		30.1.17.3030.1
30	3030	1×I2	30.1.17.3030.2
40	4040		40.1.17.4040.1
40	4040	1×I3	40.1.17.4040.2
45	4545		45.1.17.4545.1
45	4545	1×I4	45.1.17.4545.2




编号 Item No.	紧固组件 Fastening Elements
I1	圆柱头内六角螺栓 M4×16 Cylindrical head hexagon socket bolt M4×16
	T 型螺母 20-M4 T-Nut 20-M4
I2	圆柱头内六角螺栓 M6×20 Cylindrical head hexagon socket bolt M6×20
	T 型螺母 30-M6 T-Nut 30-M6
I3	圆柱头内六角螺栓 M8×25 Cylindrical head hexagon socket bolt M8×25
	弹性螺母 40-M8 Spring Nut 40-M8
I4	圆柱头内六角螺栓 M8×30 Cylindrical head hexagon socket bolt M8x30
	T 型螺母 45-M8 T-Nut 45-M8



Elastic Fastener >>> 弹性扣件


材质 Material:	碳钢镀镍 Nickel plated steel
特点 Features:	连接坚固可靠, 具有防松防震功能 The connection is firm and reliable, with anti-loosening and anti-vibration functions
用途 Application:	与半圆头螺栓搭配用于型材之间的连接 Used in combination with half round head bolts for connection between aluminum profiles

型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.1.18.3030.1
30	3030	1×J1	30.1.18.3030.2
40	4040		40.1.18.4040.1
40	4040	1×J1	40.1.18.4040.2
45、50、60	4545		45.1.18.4545.1
45、50-10、60	4545	1×J2	45.1.18.4545.2




编号 Item No.	紧固组件 Fastening Elements
J1	半圆头内六角螺栓 M8×20 Half round head hexagon socket bolt M8×20
J2	半圆头内六角螺栓 M12×30-10 Half round head hexagon socket bolt M12×30-10


4040



3030



4545





03

Fastening Elements >>> 紧固件

P77



P78



P79



P80



P81



P82



P83



P84



P86



P88



P90



P92



P93




T-Nut >>> T 型螺母


材质：碳钢镀镍（或镀锌）
Material: Nickel-plated steel (or zinc-plated)

特点：可从型材槽放入旋转90度锁紧，使用方便
Features: It can be put into the profile slot and rotated 90 degrees to lock, easy to use


20 系列 20 Series




30 系列 30 Series




40 系列 40 Series



45 系列 45 Series



国标系列 Chinese Standard Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
20	20-M3	M3	20.2.1.2020.03.1
20	20-M4	M4	20.2.1.2020.04.1
20	20-M5	M5	20.2.1.2020.05.1

型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
30	30-M3	M3	30.2.1.3030.03.1
30	30-M4	M4	30.2.1.3030.04.1
30	30-M5	M5	30.2.1.3030.05.1
30	30-M6	M6	30.2.1.3030.06.1

型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
40、50-8	40-M3	M3	40.2.1.4040.03.1
40、50-8	40-M4	M4	40.2.1.4040.04.1
40、50-8	40-M5	M5	40.2.1.4040.05.1
40、50-8	40-M6	M6	40.2.1.4040.06.1

型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
45、50-10、60	45-M4	M4	45.2.1.4545.04.1
45、50-10、60	45-M5	M5	45.2.1.4545.05.1
45、50-10、60	45-M6	M6	45.2.1.4545.06.1
45、50-10、60	45-M8	M8	45.2.1.4545.08.1

型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
国标 Chinese Standard	40-M4	M4	GB.2.1.4040.04.1
国标 Chinese Standard	40-M5	M5	GB.2.1.4040.05.1
国标 Chinese Standard	40-M6	M6	GB.2.1.4040.06.1




Sliding Nut
>>> 滑块螺母

材质：碳钢镀镍（或镀锌）
Material: Nickel-plated steel (or zinc-plated)


特点：需从型材一端塞入槽内，连接强度高
Features: It needs to be inserted into the slot from one end of the profile, and the connection strength is high

20 系列 20 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
20	20-M3	M3	20.2.2.2020.03.1
20	20-M4	M4	20.2.2.2020.04.1
20	20-M5	M5	20.2.2.2020.05.1
20	20-M6	M6	20.2.2.2020.06.1

30 系列 30 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
30	30-M4	M4	30.2.2.3030.04.1
30	30-M5	M5	30.2.2.3030.05.1
30	30-M6	M6	30.2.2.3030.06.1
30	30-M8	M8	30.2.2.3030.08.1

40 系列 40 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
40、50-8	40-M4	M4	40.2.2.4040.04.1
40、50-8	40-M5	M5	40.2.2.4040.05.1
40、50-8	40-M6	M6	40.2.2.4040.06.1
40、50-8	40-M8	M8	40.2.2.4040.08.1

45 系列 45 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
45、50-10、60	45-M4	M4	45.2.2.4545.04.1
45、50-10、60	45-M5	M5	45.2.2.4545.05.1
45、50-10、60	45-M6	M6	45.2.2.4545.06.1
45、50-10、60	45-M8	M8	45.2.2.4545.08.1
45、50-10、60	45-M10	M10	45.2.2.4545.10.1

国标系列 Chinese Standard Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
国标 Chinese Standard	40-M4	M4	GB.2.2.4040.04.1
国标 Chinese Standard	40-M5	M5	GB.2.2.4040.05.1
国标 Chinese Standard	40-M6	M6	GB.2.2.4040.06.1
国标 Chinese Standard	40-M8	M8	GB.2.2.4040.08.1




Half Round Elastic Nut
>>> 弹性螺母

材质：碳钢镀镍
Material: Nickel-plated steel


特点：可从型材一端或型材槽塞入槽内，用于弥补漏装的预制螺母
Features: It can be inserted into the slot from one end of the profile or the slot of the profile to make up for missing prefabricated nuts

20 系列 20 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
20	20-M3	M3	20.2.3.2020.03.1
20	20-M4	M4	20.2.3.2020.04.1
20	20-M5	M5	20.2.3.2020.05.1
20	20-M6	M6	20.2.3.2020.06.1

30 系列 30 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
30	30-M4	M4	30.2.3.3030.04.1
30	30-M5	M5	30.2.3.3030.05.1
30	30-M6	M6	30.2.3.3030.06.1
30	30-M8	M8	30.2.3.3030.08.1

40 系列 40 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
40、50-8	40-M4	M4	40.2.3.4040.04.1
40、50-8	40-M5	M5	40.2.3.4040.05.1
40、50-8	40-M6	M6	40.2.3.4040.06.1
40、50-8	40-M8	M8	40.2.3.4040.08.1

45 系列 45 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
45、50-10、60	45-M4	M4	45.2.3.4545.04.1
45、50-10、60	45-M5	M5	45.2.3.4545.05.1
45、50-10、60	45-M6	M6	45.2.3.4545.06.1
45、50-10、60	45-M8	M8	45.2.3.4545.08.1
45、50-10、60	45-M10	M10	45.2.3.4545.10.1



Shrapnel Nut

 >>> 弹片螺母


材质：碳钢镀镍

 Material: Nickel-plated steel

特点：可从型材一端或型材槽塞入槽内，用于弥补漏装的预制螺母


 Features: It can be inserted into the slot from one end of the profile or the slot of the profile to make up for missing prefabricated nuts

30/40 系列 30/40 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
30、40、50-8	30/40-M4	M4	40.2.4.4040.04.1
30、40、50-8	30/40-M5	M5	40.2.4.4040.05.1
30、40、50-8	30/40-M6	M6	40.2.4.4040.06.1
30、40、50-8	30/40-M8	M8	40.2.4.4040.08.1

45 系列 45 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
45、50-10、60	45-M4	M4	45.2.4.4545.04.1
45、50-10、60	45-M5	M5	45.2.4.4545.05.1
45、50-10、60	45-M6	M6	45.2.4.4545.06.1
45、50-10、60	45-M8	M8	45.2.4.4545.08.1



Square Nut

 >>> 四方螺母


材质：碳钢镀镍

 Material: Nickel-plated steel

特点：需从型材一端塞入槽内，常用于国标型材


 Features: It needs to be inserted into the slot from one end of the profile, often used for national standard profiles

10 × 10 系列 10x10 Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
1530G	10 × 10-M5	M5	GB.2.5.1010.05.1
1530G	10 × 10-M6	M6	GB.2.5.1010.06.1

14 × 14 系列 14x14 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
国标 Chinese Standard	14 × 14-M4	M4	GB.2.5.1414.04.1
国标 Chinese Standard	14 × 14-M5	M5	GB.2.5.1414.05.1
国标 Chinese Standard	14 × 14-M6	M6	GB.2.5.1414.06.1
国标 Chinese Standard	14 × 14-M8	M8	GB.2.5.1414.08.1



Flange Nut
>>> 法兰螺母

材质：碳钢镀镍
Material: Nickel-plated steel

特点：与T型螺栓配套使用，常用于安装角件等型材配件
Features: Used with T-bolts, often used to install corner fittings and other profile accessories




型号 Type No.	A	B	C	D	订货编号 Order No.
M5	8	11	5	M5	20.2.6.05.1
M6	10	13	6	M6	30.2.6.06.1
M8	13	17.5	8	M8	40.2.6.08.1



External Hexagon Nut
>>> 外六角螺母

材质：碳钢镀锌
Material: Zinc-plated steel

特点：与螺栓配套使用，常用于紧固安装
Features: used with bolts, often used for fastening installation



型号 Type No.	A	B	D	订货编号 Order No.
M3	5.5	2.4	M3	NU.2.6.03.1
M4	7	3.2	M4	NU.2.6.04.1
M5	8	4.2	M5	NU.2.6.05.1
M6	10	5	M6	NU.2.6.06.1
M8	13	5.8	M8	NU.2.6.08.1
M10	16	7.6	M10	NU.2.6.10.1
M12	18	9.3	M12	NU.2.6.12.1
M16	24	12.4	M16	NU.2.6.16.1
M20	30	15	M20	NU.2.6.20.1
M24	36	21.5	M24	NU.2.6.24.1




T-Nut
 >>> T 型螺栓

材质：碳钢镀镍（或镀锌）
 Material: Nickel-plated steel (zinc-plated)


特点：可从型材槽放入旋转90度锁紧，常与法兰螺母配套使用
 Features: It can be put into the slot of aluminum profile and rotated 90 degrees to lock, often used with flange nuts

20 系列 20 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
20	20-M5 × 12	12	20.2.7.05.12
20	20-M5 × 16	16	20.2.7.05.16
20	20-M5 × 20	20	20.2.7.05.20

30 系列 30 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
30	30-M6 × 12	12	30.2.7.06.12
30	30-M6 × 16	16	30.2.7.06.16
30	30-M6 × 20	20	30.2.7.06.20
30	30-M6 × 25	25	30.2.7.06.25

40 系列 40 Series




型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
40、50-8	40-M8 × 16	16	40.2.7.08.16
40、50-8	40-M8 × 20	20	40.2.7.08.20
40、50-8	40-M8 × 25	25	40.2.7.08.25
40、50-8	40-M8 × 30	30	40.2.7.08.30
40、50-8	40-M8 × 35	35	40.2.7.08.35
40、50-8	40-M8 × 40	40	40.2.7.08.40

45 系列 45 Series



国标系列 Chinese Standard Series



型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
45、50-10、60	45-M8 × 20	20	45.2.7.08.20
45、50-10、60	45-M8 × 25	25	45.2.7.08.25
45、50-10、60	45-M8 × 30	30	45.2.7.08.30
45、50-10、60	45-M8 × 35	35	45.2.7.08.35
45、50-10、60	45-M8 × 40	40	45.2.7.08.40

型材系列 Profiles Series	型号 Type No.	D	订货编号 Order No.
国标 Chinese Standard	GB-M8 × 16	16	GB.2.7.08.16
国标 Chinese Standard	GB-M8 × 20	20	GB.2.7.08.20
国标 Chinese Standard	GB-M8 × 25	25	GB.2.7.08.25
国标 Chinese Standard	GB-M8 × 30	30	GB.2.7.08.30
国标 Chinese Standard	GB-M8 × 35	35	GB.2.7.08.35




Cylindrical Head Hexagon Socket Bolts
>>> 圆柱头内六角螺栓

材质：碳钢镀镍
Material: Nickel-plated steel


特点：用于两段型材的高强度直角连接及型材配件的紧固
Features: Used for high-strength right-angle connection of two sections of aluminum profiles and fastening of profile accessories

M3 系列 M3 Series




型号 Type No.	L	订货编号 Order No.
M3 × 8	8	SO.2.8.03.08
M3 × 10	10	SO.2.8.03.10
M3 × 12	12	SO.2.8.03.12
M3 × 16	16	SO.2.8.03.16

M4 系列 M4 Series




型号 Type No.	L	订货编号 Order No.
M4 × 8	8	SO.2.8.04.08
M4 × 10	10	SO.2.8.04.10
M4 × 12	12	SO.2.8.04.12
M4 × 16	16	SO.2.8.04.16

M5 系列 M5 Series




型号 Type No.	L	订货编号 Order No.
M5 × 8	8	SO.2.8.05.08
M5 × 10	10	SO.2.8.05.10
M5 × 12	12	SO.2.8.05.12
M5 × 16	16	SO.2.8.05.16
M5 × 20	20	SO.2.8.05.20

M6 系列 M6 Series




型号 Type No.	L	订货编号 Order No.
M6 × 10	10	SO.2.8.06.10
M6 × 12	12	SO.2.8.06.12
M6 × 14	14	SO.2.8.06.14
M6 × 16	16	SO.2.8.06.16
M6 × 20	20	SO.2.8.06.20
M6 × 25	25	SO.2.8.06.25
M6 × 30	30	SO.2.8.06.30
M6 × 35	35	SO.2.8.06.35
M6 × 40	40	SO.2.8.06.40

M8 系列 M8 Series



型号 Type No.	L	订货编号 Order No.
M8 × 10	10	SO.2.8.08.10
M8 × 12	12	SO.2.8.08.12
M8 × 16	16	SO.2.8.08.16
M8 × 20	20	SO.2.8.08.20
M8 × 25	25	SO.2.8.08.25
M8 × 30	30	SO.2.8.08.30
M8 × 35	35	SO.2.8.08.35
M8 × 40	40	SO.2.8.08.40
M8 × 50	50	SO.2.8.08.50
M8 × 60	60	SO.2.8.08.60
M8 × 70	70	SO.2.8.08.70
M8 × 80	80	SO.2.8.08.80

M12 系列 M12 Series



型号 Type No.	L	订货编号 Order No.
M12 × 30	30	SO.2.8.12.30
M12 × 40	40	SO.2.8.12.40
M12 × 50	50	SO.2.8.12.50
M12 × 60	60	SO.2.8.12.60
M12 × 70	70	SO.2.8.12.70
M12 × 100	100	SO.2.8.12.100
M12 × 110	110	SO.2.8.12.110




Half Round Head Hexagon Socket Bolt
 >>> 半圆头内六角螺栓

材质：碳钢镀镍
 Material: Nickel-plated steel


特点：用于两段型材之间的直角连接及型材配件的紧固
 Features: Used for right-angle connection between two sections of profiles and fastening of profile accessories

M4 系列 M4 Series




型号 Type No.	L	订货编号 Order No.
M4 × 6	6	CU.2.9.04.06
M4 × 8	8	CU.2.9.04.08
M4 × 10	10	CU.2.9.04.10
M4 × 12	12	CU.2.9.04.12
M4 × 16	16	CU.2.9.04.16
M4 × 20	20	CU.2.9.04.20

M5 系列 M5 Series




型号 Type No.	L	订货编号 Order No.
M5 × 6	6	CU.2.9.05.06
M5 × 8	8	CU.2.9.05.08
M5 × 10	10	CU.2.9.05.10
M5 × 12	12	CU.2.9.05.12
M5 × 16	16	CU.2.9.05.16
M5 × 20	20	CU.2.9.05.20
M5 × 25	25	CU.2.9.05.25
M5 × 30	30	CU.2.9.05.30

M6 系列 M6 Series




型号 Type No.	L	订货编号 Order No.
M6 × 10	10	CU.2.9.06.10
M6 × 12	12	CU.2.9.06.12
M6 × 16	16	CU.2.9.06.16
M6 × 20	20	CU.2.9.06.20
M6 × 25	25	CU.2.9.06.25
M6 × 30	30	CU.2.9.06.30
M6 × 35	35	CU.2.9.06.35
M6 × 40	40	CU.2.9.06.40


M8 系列 M8 Series



M12 × 30-8



M12 × 30-10



型号 Type No.	L	订货编号 Order No.
M8 × 10	10	CU.2.9.08.10
M8 × 12	12	CU.2.9.08.12
M8 × 16	16	CU.2.9.08.16
M8 × 20	20	CU.2.9.08.20
M8 × 25	25	CU.2.9.08.25
M8 × 30	30	CU.2.9.08.30
M8 × 40	40	CU.2.9.08.40

型材系列 Profile Series	型号 Type No.	订货编号 Order No.
50-8	M12 × 30-8	CU.2.9.12.30.08
45、50-10、60	M12 × 30-10	CU.2.9.12.30.10




Countersunk Head Hexagon Socket Bolts
 >>> 沉头内六角螺栓

材质: 碳钢镀镍
 Material: Nickel-plated steel


特点: 常和T型螺母配合, 用于型材配件的紧固
 Features: It is often matched with T-nut for fastening profile accessories

M4 系列 M4 Series




型号 Type No.	L	订货编号 Order No.
M4 × 6	6	SU.2.10.04.06
M4 × 8	8	SU.2.10.04.08
M4 × 10	10	SU.2.10.04.10
M4 × 12	12	SU.2.10.04.12
M4 × 16	16	SU.2.10.04.16

M5 系列 M5 Series




型号 Type No.	L	订货编号 Order No.
M5 × 8	8	SU.2.10.05.08
M5 × 10	10	SU.2.10.05.10
M5 × 12	12	SU.2.10.05.12
M5 × 16	16	SU.2.10.05.16
M5 × 20	20	SU.2.10.05.20

M6 系列 M6 Series




型号 Type No.	L	订货编号 Order No.
M6 × 8	8	SU.2.10.06.08
M6 × 10	10	SU.2.10.06.10
M6 × 12	12	SU.2.10.06.12
M6 × 16	16	SU.2.10.06.16
M6 × 20	20	SU.2.10.06.20
M6 × 25	25	SU.2.10.06.25
M6 × 30	30	SU.2.10.06.30
M6 × 35	35	SU.2.10.06.35

M8 系列 M8 Series



M12 系列 M12 Series



型号 Type No.	L	订货编号 Order No.
M8 × 12	12	SU.2.10.08.12
M8 × 16	16	SU.2.10.08.16
M8 × 20	20	SU.2.10.08.20
M8 × 25	25	SU.2.10.08.25
M8 × 30	30	SU.2.10.08.30
M8 × 35	35	SU.2.10.08.35
M8 × 45	45	SU.2.10.08.45
M8 × 50	50	SU.2.10.08.50
M8 × 60	60	SU.2.10.08.60

型号 Type No.	L	订货编号 Order No.
M12 × 20	20	SU.2.10.12.20
M12 × 30	30	SU.2.10.12.30



Half Round Head Phillips Bolts
>>> 半圆头十字花螺栓

材质：碳钢镀镍
Material: Nickel-plated steel

特点：常和T型螺母配合，用于型材配件的紧固
Features: often cooperate with T-Nuts, used for fastening profile accessories

M4 系列 M4 Series



型号 Type No.	L	订货编号 Order No.
M4 × 6	6	CU.2.11.04.06
M4 × 8	8	CU.2.11.04.08
M4 × 10	10	CU.2.11.04.10
M4 × 12	12	CU.2.11.04.12
M4 × 16	16	CU.2.11.04.16
M4 × 20	20	CU.2.11.04.20




Hexagon Socket Headless Bolts
>>> 顶丝


材质：碳钢镀镍
Material: Nickel-plated steel

特点：常和隐藏式槽内连接件配合，用于型材连接件的紧固
Features: often cooperate with hidden slot connectors, used for fastening profile connectors


M4 系列 M4 Series




M5 系列 M5 Series



M6 系列 M6 Series



M8 系列 M8 Series



型号 Type No.	L	订货编号 Order No.
M4 × 4	4	JS.2.16.04.04
M4 × 6	6	JS.2.16.04.06

型号 Type No.	L	订货编号 Order No.
M5 × 6	6	JS.2.16.05.06
M5 × 8	8	JS.2.16.05.08

型号 Type No.	L	订货编号 Order No.
M6 × 8	8	JS.2.16.06.08
M6 × 10	10	JS.2.16.06.10
M6 × 12	12	JS.2.16.06.12


型号 Type No.	L	订货编号 Order No.
M8 × 10	10	JS.2.16.08.10
M8 × 12	12	JS.2.16.08.12



P95



P97



P98



P100



P101



P103



P106



P107





Handle
>>> 把手

特点：配合铝型材门使用，常根据门窗样式搭配选取
Features: Used with doors, often selected according to the style of doors and windows



尼龙把手
Nylon Handle

型号 Type No.	A	B	C	材质 Material	颜色 Color	订货编号 Order No.
90	90	19.5	6.5	尼龙 Nylon	黑 Black	HA.3.1.1.090
120	120	25.5	8.5	尼龙 Nylon	黑 Black	HA.3.1.1.120
180	180	28.5	8.5	尼龙 Nylon	黑 Black	HA.3.1.1.180






铝合金把手
Aluminum Alloy Handle

型号 Type No.	A	B	C	材质 Material	颜色 Color	订货编号 Order No.
90	90	19.5	6.5	铝合金 AL-Alloy	黑 Black	HA.3.1.2.090
120	120	25.5	8.5	铝合金 AL-Alloy	黑 Black	HA.3.1.2.120
180	180	28.5	8.5	铝合金 AL-Alloy	黑 Black	HA.3.1.2.180




铝合金把手
Aluminum Alloy Handle

型号 Type No.	A	B	C	材质 Material	颜色 Color	订货编号 Order No.
90	90	19.5	6.5	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.3.090
120	120	25.5	8.5	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.3.120
180	180	28.5	8.5	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.3.180




C型把手
C Shape Handle

型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
96	103	96	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.4.096
128	135	128	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.4.128
160	167	160	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.4.160
192	199	192	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.4.192




直条型把手
Straight Bar Handle

型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
96	104	96	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.5.096
128	138	128	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.5.128
160	170	160	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.5.160
192	205	192	铝合金 AL-Alloy	银白 Silvery White	HA.3.1.5.192



弯角型把手
Angled Handle

型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
88	98	88	碳钢镀铬 Chrome plated steel	银白 Silvery White	HA.3.1.6.088
100	110	100	碳钢镀铬 Chrome plated steel	银白 Silvery White	HA.3.1.6.100
120	130	120	碳钢镀铬 Chrome plated steel	银白 Silvery White	HA.3.1.6.120
160	170	160	碳钢镀铬 Chrome plated steel	银白 Silvery White	HA.3.1.6.160




Flush Pull Handle
 >>> 扣手

特点：隐藏式安装，需提前开安装槽孔
 Features: Concealed installation, need to open the installation slot in advance


铝合金扣手
Aluminum Alloy Flush Pull Handle

型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
64	76	64	铝合金 Al-Alloy	银白 Silvery White	HI.3.2.1.064
96	109	96	铝合金 AL-Alloy	银白 Silvery White	HI.3.2.1.096
128	140	128	铝合金 AL-Alloy	银白 Silvery White	HI.3.2.1.128




不锈钢扣手
Stainless Flush Pull Handle

型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
64	78	64	不锈钢 Stainless Steel	银白 Silvery White	HI.3.2.2.064
96	108	96	不锈钢 Stainless Steel	银白 Silvery White	HI.3.2.2.096
128	142	128	不锈钢 Stainless Steel	银白 Silvery White	HI.3.2.2.128



锌合金扣手
Zinc Alloy Flush Pull Handle

型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
LS122	锌合金 Zinc Alloy	磨砂黑 Matte Black	HI.3.2.3.122.1
LS122	锌合金 Zinc Alloy	亮银色 Bright Silver	HI.3.2.3.122.2






Door Catch
>>> 门吸

特点：隐藏式安装，用于门的吸附限位
Features: Hidden installation, used for the adsorption limit of the door


磁性门吸
Magnetic Door Catch

型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
磁性门吸 Magnetic Door Catch	锌合金 Zinc Alloy	银白 Silvery White	DO.3.3.1.1




圆柱头平板门吸
Cylindrical Head Flat Door Catch

型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
平板型 Flat type	碳钢镀镍 Nickel-plated steel	银白 Silvery White	DO.3.3.2.1




圆柱头 L 型门吸
Cylindrical Head L-shaped Door Catch


型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
L 型 L shape	碳钢镀镍 Nickel-plated steel	银白 Silvery White	DO.3.3.3.1



圆柱头 Z 型门吸
Cylindrical head Z-shaped door stopper

型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
Z 型 Z shape	碳钢镀镍 Nickel-plated steel	银白 Silvery White	DO.3.3.4.1







Door Plug >>> 插销

特点：外部安装，用于门的开关限位
Features: external installation, used for door switch limit

铝合金插销 Aluminum alloy plug





型号 Type No.	材质 Material	表面处理 Finish	订货编号 Order No.
A 型 A-Type	铝合金 AL-Alloy	银白 Silvery White	BO.3.4.1.01.1
B 型 B-Type	铝合金 AL-Alloy	银白 Silvery White	BO.3.4.1.02.1
C 型 C-Type	铝合金 AL-Alloy	银白 Silvery White	BO.3.4.1.03.1



按弹式插销 Snap-on latch


型号 Type No.	A	B	材质 Material	颜色 Color	订货编号 Order No.
3 寸 3 inches	57	39	锌合金 Zinc Alloy	银白 Silvery White	BO.3.4.2.03.1
4 寸 4 inches	66	48	锌合金 Zinc Alloy	银白 Silvery White	BO.3.4.2.04.1
6 寸 6 inches	123	100	锌合金 Zinc Alloy	银白 Silvery White	BO.3.4.2.06.1



Door Buckle >>> 搭扣


特点：外部安装，用于门的开关限位
Features: For external installation, Restricted opening and closing for doors

蝴蝶扣 Butterfly Buckle





型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
A 型 A-Type	碳钢镀镍 Nickel-plated steel	银白 Silvery White	BU.3.5.1.3030.1
B 型 B-Type	碳钢镀镍 Nickel-plated steel	银白 Silvery White	BU.3.5.2.4040.1

不锈钢搭扣 Stainless Steel Buckle



型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
A 型 A-Type	不锈钢 Stainless Steel	银白 Silvery White	BU.3.5.3.3030.1
B 型 B-Type	不锈钢 Stainless Steel	银白 Silvery White	BU.3.5.4.4040.1

锌合金搭扣
 Zinc Alloy Buckle



型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
锌合金搭扣 Zinc Alloy Buckle	锌合金 Zinc Alloy	黑 Black	BU.3.5.5.4040.1





Hinge
 >>> 合页

特点：外部安装，根据门框及门尺寸选取合页型号
 Features: external installation, select the hinge model according to the door frame and door size

编号 Item No.	紧固组件 Fastening Elements
K1	沉头内六角螺栓 M5 × 10 Countersunk head hexagon socket bolt M5x10
	T 型螺母 20-M5 T-Nut 20-M5
K2	沉头内六角螺栓 M6 × 12 Countersunk head hexagon socket bolt M6x12
	T 型螺母 30-M6 T-Nut 30-M6
K3	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
	T 型螺母 40-M6 T-Nut 40-M6
K4	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
	T 型螺母 45-M6 T-Nut 45-M6



锌合金合页
 Zinc Alloy Hinge



型材系列 Profile Series	型号 Type No.	A	B	C	D	E	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
20	2020	40	30	5	20	14	锌合金 Zinc Alloy	银白 Silvery White		20.3.6.1.2020.1
20	2020	40	30	5	20	14	锌合金 Zinc Alloy	银白 Silvery White	4 × K1	20.3.6.1.2020.2
30	3030	50	50	6.5	30	30	锌合金 Zinc Alloy	银白 Silvery White		30.3.6.1.3030.1
30	3030	50	50	6.5	30	30	锌合金 Zinc Alloy	银白 Silvery White	4 × K2	30.3.6.1.3030.2
30、40	3040	57	50	6.5	35	30	锌合金 Zinc Alloy	银白 Silvery White		30.3.6.1.3040.1
30、40	3040	57	50	6.5	35	30	锌合金 Zinc Alloy	银白 Silvery White	2 × K2+2 × K3	30.3.6.1.3040.2
40	4040	63	50	6.5	40	30	锌合金 Zinc Alloy	银白 Silvery White		40.3.6.1.4040.1
40	4040	63	50	6.5	40	30	锌合金 Zinc Alloy	银白 Silvery White	4 × K3	40.3.6.1.4040.2
45	4545	68	50	6.5	45	30	锌合金 Zinc Alloy	银白 Silvery White		45.3.6.1.4545.1
45	4545	68	50	6.5	45	30	锌合金 Zinc Alloy	银白 Silvery White	4 × K4	45.3.6.1.4545.2

编号 Item No.	紧固组件 Fastening Elements	
K1	沉头内六角螺栓 M5 × 10 Countersunk head hexagon socket bolt M5x10	
	T 型螺母 20-M5 T-Nut 20-M5	
K3	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16	
	T 型螺母 40-M6 T-Nut 40-M6	
K4	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16	
	T 型螺母 45-M6 T-Nut 45-M6	
K5	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16	
	T 型螺母 30-M6 T-Nut 30-M6	
K6	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16	
	滑块螺母 40-M8 Sliding Nut 40-M8	



尼龙合页
 Nylon Hinge




型材系列 Profile Series	型号 Type No.	A	B	C	D	E	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
20	2020	40	30	4.5	20	14	尼龙 Nylon	黑 Black		20.3.6.2.2020.1
20	2020	40	30	4.5	20	14	尼龙 Nylon	黑 Black	4 × K1	20.3.6.2.2020.2
30	3030	52	45	6.5	30	23.5	尼龙 Nylon	黑 Black		30.3.6.2.3030.1
30	3030	52	45	6.5	30	23.5	尼龙 Nylon	黑 Black	4 × K5	30.3.6.2.3030.2
30、40	3040	60	45	6.5	35	24.5	尼龙 Nylon	黑 Black		30.3.6.2.3040.1
30、40	3040	60	45	6.5	35	24.5	尼龙 Nylon	黑 Black	2 × K3+2 × K5	30.3.6.2.3040.2
40	4040	60	50	6.5	40	30	尼龙 Nylon	黑 Black		40.3.6.2.4040.1
40	4040	60	50	6.5	40	30	尼龙 Nylon	黑 Black	4 × K3	40.3.6.2.4040.2
50	5050	80	102	9.5	50	72.5	尼龙 Nylon	黑 Black		50.3.6.2.5050.1
50	5050	80	102	9.5	50	72.5	尼龙 Nylon	黑 Black	4 × K6	50.3.6.2.5050.2

编号 Item No.	紧固组件 Fastening Elements	
K2	沉头内六角螺栓 M6 × 12 Countersunk head hexagon socket bolt M6x12	
	T 型螺母 30-M6 T-Nut 30-M6	
K3	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16	
	T 型螺母 40-M6 T-Nut 40-M6	

不锈钢合页
 Stainless Steel Hinge




型材系列 Profile Series	型号 Type No.	A	B	C	D	E	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030	50	50	6.5	30	30	不锈钢 Stainless steel	银白 Silvery White		30.3.6.3.3030.1
30	3030	50	50	6.5	30	30	不锈钢 Stainless steel	银白 Silvery White	4 × K2	30.3.6.3.3030.2
30、40	3040	60	60	6.5	36	36	不锈钢 Stainless steel	银白 Silvery White		30.3.6.3.3040.1
30、40	3040	60	60	6.5	36	36	不锈钢 Stainless steel	银白 Silvery White	2 × K2+2 × K3	30.3.6.3.3040.2
40	4040	61	50	6.5	40	30	不锈钢 Stainless steel	银白 Silvery White		40.3.6.3.4040.1
40	4040	61	50	6.5	40	30	不锈钢 Stainless steel	银白 Silvery White	4 × K3	40.3.6.3.4040.2




Right Angle Connection Block
 >>> 门角件

特点：适用于1530G型材推拉门及铰链门的组装
 Features: Suitable for the assembly of 1530G profile sliding doors and hinged doors



1530 门角件
 1530 Connection block



1530 上滑块
 1530 Upper slider



1530 下滑块
 1530 Lower slider



编号 Item No.	紧固组件 Fastening Elements
L1	圆柱内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16 




型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
1530G	门角件 Connection block	铝合金 AL-Alloy	银白 Silvery White		GB.3.7.1530.1
1530G	门角件 Connection block	铝合金 AL-Alloy	银白 Silvery White	2 × L1	GB.3.7.1530.1.2
1530G	上滑块 Upper slider	铝合金 AL-Alloy	银白 Silvery White		GB.3.7.1530.2
1530G	上滑块 Upper slider	铝合金 AL-Alloy	银白 Silvery White	2 × L1	GB.3.7.1530.2.2
1530G	下滑块 Lower slider	铝合金 AL-Alloy	银白 Silvery White		GB.3.7.1530.3
1530G	下滑块 Lower slider	铝合金 AL-Alloy	银白 Silvery White	2 × L1	GB.3.7.1530.3.2



Door Lock
 >>> 门锁

特点：用于门的锁紧限位，根据使用环境选取型号
 Features: Used for the locking limit of the door, select the model according to the use environment




长条锁 Bar Lock



型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
长条锁 Bar lock	锌合金 Zinc Alloy	银白 Silvery White	LO.3.8.01.1

机械锁 Mechanical Lock

A 型 A-Type B 型 B-Type




型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
A 型 A-Type	锌合金 Zinc Alloy	银白 Silvery White	LO.3.8.02.1
B 型 B-Type	锌合金 Zinc Alloy	黑色 Black	LO.3.8.03.1



05

Base Support Accessories >>> 底座支撑配件



End Connecting Plate

>>> 端面连接板


特点：连接时起转接作用，适用于矩形多孔型材

Features: It acts as a transition when connecting, suitable for rectangular porous profiles

用途：用于铝型材机架底部地脚及脚轮的安装

Application: Used for the installation of the bottom feet and casters of aluminum profile racks


锌合金 3060 Zinc Alloy 3060



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3060-M8	M8	锌合金 Zinc Alloy	黑 Black		30.4.1.3060.08.1.1
30	3060-M8	M8	锌合金 Zinc Alloy	黑 Black	2 × M1	30.4.1.3060.08.1.2
30	3060-M10	M10	锌合金 Zinc Alloy	黑 Black		30.4.1.3060.10.1.1
30	3060-M10	M10	锌合金 Zinc Alloy	黑 Black	2 × M1	30.4.1.3060.10.1.2
30	3060-M12	M12	锌合金 Zinc Alloy	黑 Black		30.4.1.3060.12.1.1
30	3060-M12	M12	锌合金 Zinc Alloy	黑 Black	2 × M1	30.4.1.3060.12.1.2

P109



P117



P119




P126



P139




铝合金 3060 Aluminum Alloy 3060



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3060-M8	M8	铝合金 AL-Alloy	银白 Silvery White		30.4.1.3060.08.2.1
30	3060-M8	M8	铝合金 AL-Alloy	银白 Silvery White	2 × M1	30.4.1.3060.08.2.2
30	3060-M10	M10	铝合金 AL-Alloy	银白 Silvery White		30.4.1.3060.10.2.1
30	3060-M10	M10	铝合金 AL-Alloy	银白 Silvery White	2 × M1	30.4.1.3060.10.2.2
30	3060-M12	M12	铝合金 AL-Alloy	银白 Silvery White		30.4.1.3060.12.2.1
30	3060-M12	M12	铝合金 AL-Alloy	银白 Silvery White	2 × M1	30.4.1.3060.12.2.2


锌合金 6060 Zinc Alloy 6060



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	6060-M10	M10	锌合金 Zinc Alloy	黑 Black		30.4.1.6060.10.1.1
30	6060-M10	M10	锌合金 Zinc Alloy	黑 Black	4 × M1	30.4.1.6060.10.1.2
30	6060-M12	M12	锌合金 Zinc Alloy	黑 Black		30.4.1.6060.12.1.1
30	6060-M12	M12	锌合金 Zinc Alloy	黑 Black	4 × M1	30.4.1.6060.12.1.2
30	6060-M16	M16	锌合金 Zinc Alloy	黑 Black		30.4.1.6060.16.1.1
30	6060-M16	M16	锌合金 Zinc Alloy	黑 Black	4 × M1	30.4.1.6060.16.1.2


铝合金 6060 Aluminum Alloy 6060



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	6060-M8	M8	铝合金 AL-Alloy	银白 Silvery White		30.4.1.6060.08.2.1
30	6060-M8	M8	铝合金 AL-Alloy	银白 Silvery White	4 × M1	30.4.1.6060.08.2.2
30	6060-M12	M12	铝合金 AL-Alloy	银白 Silvery White		30.4.1.6060.12.2.1
30	6060-M12	M12	铝合金 AL-Alloy	银白 Silvery White	4 × M1	30.4.1.6060.12.2.2
30	6060-M16	M16	铝合金 AL-Alloy	银白 Silvery White		30.4.1.6060.16.2.1
30	6060-M16	M16	铝合金 AL-Alloy	银白 Silvery White	4 × M1	30.4.1.6060.16.2.2


锌合金 4040 Zinc Alloy 4040



编号 Item No.	紧固组件 Fastening Elements
M2	圆柱头内六角螺栓 M5 × 16 Cylindrical head hexagon socket bolt M5 × 16

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
4040D	4040-M8	M8	锌合金 Zinc Alloy	黑 Black		40.4.1.4040.08.1.1
4040D	4040-M8	M8	锌合金 Zinc Alloy	黑 Black	4 × M2	40.4.1.4040.08.1.2
4040D	4040-M12	M12	锌合金 Zinc Alloy	黑 Black		40.4.1.4040.12.1.1
4040D	4040-M12	M12	锌合金 Zinc Alloy	黑 Black	4 × M2	40.4.1.4040.12.1.2


铝合金 4040 Aluminum Alloy 4040



编号 Item No.	紧固组件 Fastening Elements
M3	圆柱头螺栓 M6 × 20 Cylinder head bolt M6 × 20
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4040-M8	M8	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4040.08.2.1
40	4040-M8	M8	铝合金 AL-Alloy	银白 Silvery White	2 × M3	40.4.1.4040.08.2.2
40	4040-M10	M10	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4040.10.2.1
40	4040-M10	M10	铝合金 AL-Alloy	银白 Silvery White	2 × M3	40.4.1.4040.10.2.2
40	4040-M12	M12	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4040.12.2.1
40	4040-M12	M12	铝合金 AL-Alloy	银白 Silvery White	2 × M3	40.4.1.4040.12.2.2


锌合金 4080 Zinc Alloy 4080



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4080-M10	M10	锌合金 Zinc Alloy	黑 Black		40.4.1.4080.10.1.1
40	4080-M10	M10	锌合金 Zinc Alloy	黑 Black	2 × M1	40.4.1.4080.10.1.2
40	4080-M12	M12	锌合金 Zinc Alloy	黑 Black		40.4.1.4080.12.1.1
40	4080-M12	M12	锌合金 Zinc Alloy	黑 Black	2 × M1	40.4.1.4080.12.1.2
40	4080-M16	M16	锌合金 Zinc Alloy	黑 Black		40.4.1.4080.16.1.1
40	4080-M16	M16	锌合金 Zinc Alloy	黑 Black	2 × M1	40.4.1.4080.16.1.2
40	4080-M20	M20	锌合金 Zinc Alloy	黑 Black		40.4.1.4080.20.1.1
40	4080-M20	M20	锌合金 Zinc Alloy	黑 Black	2 × M1	40.4.1.4080.20.1.2


铝合金 4080 Aluminum Alloy 4080



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4080-M10	M10	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4080.10.2.1
40	4080-M10	M10	铝合金 AL-Alloy	银白 Silvery White	2 × M1	40.4.1.4080.10.2.2
40	4080-M12	M12	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4080.12.2.1
40	4080-M12	M12	铝合金 AL-Alloy	银白 Silvery White	2 × M1	40.4.1.4080.12.2.2
40	4080-M16	M16	铝合金 AL-Alloy	银白 Silvery White		40.4.1.4080.16.2.1
40	4080-M16	M16	铝合金 AL-Alloy	银白 Silvery White	2 × M1	40.4.1.4080.16.2.2



锌合金 8080 Zinc Alloy 8080



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8 × 20 Cylindrical head hexagon socket bolt M8 × 20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	8080-M12	M12	锌合金 Zinc Alloy	黑 Black		40.4.1.8080.12.1.1
40	8080-M12	M12	锌合金 Zinc Alloy	黑 Black	4 × M1	40.4.1.8080.12.1.2
40	8080-M16	M16	锌合金 Zinc Alloy	黑 Black		40.4.1.8080.16.1.1
40	8080-M16	M16	锌合金 Zinc Alloy	黑 Black	4 × M1	40.4.1.8080.16.1.2
40	8080-M20	M20	锌合金 Zinc Alloy	黑 Black		40.4.1.8080.20.1.1
40	8080-M20	M20	锌合金 Zinc Alloy	黑 Black	4 × M1	40.4.1.8080.20.1.2



铝合金 8080 Aluminum Alloy 8080



编号 Item No.	紧固组件 Fastening Elements
M1	圆柱头内六角螺栓 M8×20 Cylindrical head hexagon socket bolt M8×20

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	8080-M12	M12	铝合金 AL-Alloy	银白 Silvery White		40.4.1.8080.12.2.1
40	8080-M12	M12	铝合金 AL-Alloy	银白 Silvery White	4×M1	40.4.1.8080.12.2.2
40	8080-M16	M16	铝合金 AL-Alloy	银白 Silvery White		40.4.1.8080.16.2.1
40	8080-M16	M16	铝合金 AL-Alloy	银白 Silvery White	4×M1	40.4.1.8080.16.2.2
40	8080-M20	M20	铝合金 AL-Alloy	银白 Silvery White		40.4.1.8080.20.2.1
40	8080-M20	M20	铝合金 AL-Alloy	银白 Silvery White	4×M1	40.4.1.8080.20.2.2



锌合金 4590 Zinc Alloy 4590



编号 Item No.	紧固组件 Fastening Elements
M4	圆柱头内六角螺栓 M12×30 Cylindrical head hexagon socket bolt M12×30

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
45	4590-M12	M12	锌合金 Zinc Alloy	黑 Black		45.4.1.4590.12.1.1
45	4590-M12	M12	锌合金 Zinc Alloy	黑 Black	2×M4	45.4.1.4590.12.1.2
45	4590-M16	M16	锌合金 Zinc Alloy	黑 Black		45.4.1.4590.16.1.1
45	4590-M16	M16	锌合金 Zinc Alloy	黑 Black	2×M4	45.4.1.4590.16.1.2
45	4590-M20	M20	锌合金 Zinc Alloy	黑 Black		45.4.1.4590.20.1.1
45	4590-M20	M20	锌合金 Zinc Alloy	黑 Black	2×M4	45.4.1.4590.20.1.2



铝合金 4590 Aluminum Alloy 4590



编号 Item No.	紧固组件 Fastening Elements
M4	圆柱头内六角螺栓 M12×30 Cylindrical head hexagon socket bolt M12×30

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
45	4590-M12	M12	铝合金 AL-Alloy	银白 Silvery White		45.4.1.4590.12.2.1
45	4590-M12	M12	铝合金 AL-Alloy	银白 Silvery White	2×M4	45.4.1.4590.12.2.2
45	4590-M16	M16	铝合金 AL-Alloy	银白 Silvery White		45.4.1.4590.16.2.1
45	4590-M16	M16	铝合金 AL-Alloy	银白 Silvery White	2×M4	45.4.1.4590.16.2.2
45	4590-M20	M20	铝合金 AL-Alloy	银白 Silvery White		45.4.1.4590.20.2.1
45	4590-M20	M20	铝合金 AL-Alloy	银白 Silvery White	2×M4	45.4.1.4590.20.2.2


铝合金 9090 Aluminum Alloy 9090



编号 Item No.	紧固组件 Fastening Elements
M4	圆柱头内六角螺栓 M12×30 Cylindrical head hexagon socket bolt M12×30

型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
45	9090-M12	M12	铝合金 AL-Alloy	银白 Silvery White		45.4.1.9090.12.2.1
45	9090-M12	M12	铝合金 AL-Alloy	银白 Silvery White	4×M4	45.4.1.9090.12.2.2
45	9090-M16	M16	铝合金 AL-Alloy	银白 Silvery White		45.4.1.9090.16.2.1
45	9090-M16	M16	铝合金 AL-Alloy	银白 Silvery White	4×M4	45.4.1.9090.16.2.2
45	9090-M20	M20	铝合金 AL-Alloy	银白 Silvery White		45.4.1.9090.20.2.1
45	9090-M20	M20	铝合金 AL-Alloy	银白 Silvery White	4×M4	45.4.1.9090.20.2.2

铝合金 50100 Aluminum Alloy 50100



编号 Item No.	紧固组件 Fastening Elements
M4	圆柱头内六角螺栓 M12×30 Cylindrical head hexagon socket bolt M12×30


型材系列 Profile Series	型号 Type No.	D	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
50	50100-M16	M16	铝合金 AL-Alloy	银白 Silvery White		50.4.1.50100.16.2.1
50	50100-M16	M16	铝合金 AL-Alloy	银白 Silvery White	2 × M4	50.4.1.50100.16.2.2
50	50100-M20	M20	铝合金 AL-Alloy	银白 Silvery White		50.4.1.50100.20.2.1
50	50100-M20	M20	铝合金 AL-Alloy	银白 Silvery White	2 × M4	50.4.1.50100.20.2.2
50	50100-M24	M24	铝合金 AL-Alloy	银白 Silvery White		50.4.1.50100.24.2.1
50	50100-M24	M24	铝合金 AL-Alloy	银白 Silvery White	2 × M4	50.4.1.50100.24.2.2



Caster Mounting Plate
 >>> 脚轮安装板


特点：连接时起转接作用，适用于30和40系列型材
 Features: Connecting function, suitable for 30 and 40 series profiles
 用途：用于铝型材机架底部地脚及脚轮的安装
 Application: Used for the installation of the bottom feet and casters of aluminum profile racks

3030-M12



编号 Item No.	紧固组件 Fastening Elements
N1	圆柱头螺栓 M6 × 12 Cylinder head bolt M6 × 12
	T 型螺母 30-M6 T-Nut 30-M6

型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030-M12	铝合金 AL-Alloy	银白 Silvery White		30.4.2.3030.1.1
30	3030-M12	铝合金 AL-Alloy	银白 Silvery White	5 × N1	30.4.2.3030.1.2



型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4040A-M12	铝合金 AL-Alloy	银白 Silvery White		40.4.2.4040.1.1
40	4040A-M12	铝合金 AL-Alloy	银白 Silvery White	5 × N2	40.4.2.4040.1.2
40	4040B-M12	铝合金 AL-Alloy	银白 Silvery White		40.4.2.4040.2.1
40	4040B-M12	铝合金 AL-Alloy	银白 Silvery White	5 × N2	40.4.2.4040.2.2
40	4040C-M12	铝合金 AL-Alloy	银白 Silvery White		40.4.2.4040.3.1
40	4040C-M12	铝合金 AL-Alloy	银白 Silvery White	5 × N2	40.4.2.4040.3.2

编号 Item No.	紧固组件 Fastening Elements
N2	圆柱头内六角螺栓 M8 × 16 Cylindrical head hexagon socket bolt M8 × 16
	弹片螺母 30/40-M8 Shrapnel Nut 30/40-M8





Caster
>>> 脚轮

特点：可根据安装需求选择样式、直径、材质等
Features: To choose the style, diameter, material, etc. of the caster according to the installation requirements



用途：用于铝型材机架底部的便捷式移动
Application: For convenient movement at the bottom of the aluminum profile rack

牙杆式刹车脚轮
Threaded Stem Brake Caster






类别 Series	型号 Type No.	A	B	C	D	颜色 Color	轮面材质 Wheel Surface Material	订货编号 Order No.
牙杆式刹车 Threaded Stem & Brake	D40-M8	60	25	M8	40	黑 Black	PVC	CA.4.3.040.1.1
牙杆式刹车 Threaded Stem & Brake	D50-M10	75	25	M10	50	黑 Black	PVC	CA.4.3.050.1.1
牙杆式刹车 Threaded Stem & Brake	D63-M12	95	30	M12	63	黑 Black	PVC	CA.4.3.063.1.1
牙杆式刹车 Threaded Stem & Brake	D75-M12	105	30	M12	75	红 Red	PU	CA.4.3.075.1.1
牙杆式刹车 Threaded Stem & Brake	D100-M12	130	30	M12	100	红 Red	PU	CA.4.3.100.1.1

牙杆式无刹脚轮
 Threaded Stem Caster without Brake




类别 Series	型号 Type No.	A	B	C	D	颜色 Color	轮面材质 Wheel Surface Material	订货编号 Order No.
牙杆式无刹 Threaded Stem & No Brake	D40-M8	60	25	M8	40	黑 Black	PVC	CA.4.3.040.2.1
牙杆式无刹 Threaded Stem & No Brake	D50-M10	75	25	M10	50	黑 Black	PVC	CA.4.3.050.2.1
牙杆式无刹 Threaded Stem & No Brake	D63-M12	95	30	M12	63	黑 Black	PVC	CA.4.3.063.2.1
牙杆式无刹 Threaded Stem & No Brake	D75-M12	105	30	M12	75	红 Red	PU	CA.4.3.075.2.1
牙杆式无刹 Threaded Stem & No Brake	D100-M12	130	30	M12	100	红 Red	PU	CA.4.3.100.2.1

底盘式定向脚轮
 Flat Directional Caster



类别 Series	型号 Type No.	A	B	C	D	E	F	G	颜色 Color	轮面材质 Wheel Surface Material	订货编号 Order No.
底盘式定向 Fixed Direction-Plate	D40	60	45	45	30	6.5	60	40	黑 Black	PVC	CA.4.3.040.3.1
底盘式定向 Fixed Direction-Plate	D50	70	50	52	35	8.5	70	50	黑 Black	PVC	CA.4.3.050.3.1
底盘式定向 Fixed Direction-Plate	D63	95	65	73	45	8.5	95	63	黑 Black	PVC	CA.4.3.063.3.1
底盘式定向 Fixed Direction-Plate	D75	95	65	73	45	8.5	105	75	红 Red	PU	CA.4.3.075.3.1
底盘式定向 Fixed Direction-Plate	D100	95	65	73	45	8.5	130	100	红 Red	PU	CA.4.3.100.3.1

底盘式万向刹车脚轮
 Flat Universal Brake Caster





类别 Series	型号 Type No.	A	B	C	D	E	F	G	颜色 Color	轮面材质 Wheel Surface Material	订货编号 Order No.
底盘式万向刹车 Flat-Universal- Brake	D40	60	45	45	30	6.5	60	40	黑 Black	PVC	CA.4.3.040.4.1
底盘式万向刹车 Flat-Universal- Brake	D50	70	50	52	35	8.5	70	50	黑 Black	PVC	CA.4.3.050.4.1
底盘式万向刹车 Flat-Universal- Brake	D63	95	65	73	45	8.5	95	63	黑 Black	PVC	CA.4.3.063.4.1
底盘式万向刹车 Flat-Universal- Brake	D75	95	65	73	45	8.5	105	75	红 Red	PU	CA.4.3.075.4.1
底盘式万向刹车 Flat-Universal- Brake	D100	95	65	73	45	8.5	130	100	红 Red	PU	CA.4.3.100.4.1

底盘式万向无刹脚轮
 Flat Universal Caster without Brake





类别 Series	型号 Type No.	A	B	C	D	E	F	G	颜色 Color	轮面材质 Wheel Surface Material	订货编号 Order No.
底盘式万向无刹 Flat-Universal- No Brake	D40	60	45	45	30	6.5	60	40	黑 Black	PVC	CA.4.3.040.5.1
底盘式万向无刹 Flat-Universal- No Brake	D50	70	50	52	35	8.5	70	50	黑 Black	PVC	CA.4.3.050.5.1
底盘式万向无刹 Flat-Universal- No Brake	D63	95	65	73	45	8.5	95	63	黑 Black	PVC	CA.4.3.063.5.1
底盘式万向无刹 Flat-Universal- No Brake	D75	95	65	73	45	8.5	105	75	红 Red	PU	CA.4.3.075.5.1
底盘式万向无刹 Flat-Universal- No Brake	D100	95	65	73	45	8.5	130	100	红 Red	PU	CA.4.3.100.5.1

牙杆式福马轮
 Thread Stem Footma Caster



类别 Series	型号 Type No.	A	B	C	D	订货编号 Order No.
牙杆式福马轮 Thread Stem Footma Caster	GD-40S	75+8	20	M8	40	CA.4.3.040.08.1
牙杆式福马轮 Thread Stem Footma Caster	GD-60S	82+10	20	M12	50	CA.4.3.060.12.1
牙杆式福马轮 Thread Stem Footma Caster	GD-80S	102+15	20	M12	62	CA.4.3.080.12.1
牙杆式福马轮 Thread Stem Footma Caster	GD-100S	120+15	20	M16	75	CA.4.3.100.16.1

底盘式福马轮
 Plate-Footma Caster



类别 Series	型号 Type No.	A	B	C	D	E	订货编号 Order No.
底盘式福马轮 Plate-Footma Caster	GD-40F	75+8	55	42	40	6.5	CA.4.3.040.2
底盘式福马轮 Plate-Footma Caster	GD-60F	82+10	73	58	50	7	CA.4.3.060.2
底盘式福马轮 Plate-Footma Caster	GD-80F	102+15	90	70	62	9	CA.4.3.080.2
底盘式福马轮 Plate-Footma Caster	GD-100F	120+15	95	70	75	9	CA.4.3.100.2





Leveling Foot
 >>> 地脚

特点：可根据安装需求选择样式、直径、材质等
 Features: To choose the style, diameter, material, etc. according to the installation requirements
 用途：用于铝型材机架底部的支撑及调平
 Application: Used for support and leveling at the bottom of the aluminum profile rack



尼龙万向无孔地脚
 Nylon Universal Non-hole Leveling Foot

D50 系列 D50 Series





类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向无孔 Nylon Universal Non-hole	D50-M8-30	黑 Black	尼龙 Nylon	M8	30	GL.4.4.05008030.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M8-50	黑 Black	尼龙 Nylon	M8	50	GL.4.4.05008050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M8-80	黑 Black	尼龙 Nylon	M8	80	GL.4.4.05008080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M10-50	黑 Black	尼龙 Nylon	M10	50	GL.4.4.05010050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M10-80	黑 Black	尼龙 Nylon	M10	80	GL.4.4.05010080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M12-50	黑 Black	尼龙 Nylon	M12	50	GL.4.4.05012050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.05012080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D50-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.05012100.1.1

D60 系列 D60 Series





类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向无孔 Nylon Universal Non-hole	D60-M8-50	黑 Black	尼龙 Nylon	M8	50	GL.4.4.06008050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M8-80	黑 Black	尼龙 Nylon	M8	80	GL.4.4.06008080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M10-50	黑 Black	尼龙 Nylon	M10	50	GL.4.4.06010050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M10-80	黑 Black	尼龙 Nylon	M10	80	GL.4.4.06010080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M12-50	黑 Black	尼龙 Nylon	M12	50	GL.4.4.06012050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.06012080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D60-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.06012100.1.1

D80 系列 D80 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向无孔 Nylon Universal Non-hole	D80-M8-50	黑 Black	尼龙 Nylon	M8	50	GL.4.4.08008050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M8-80	黑 Black	尼龙 Nylon	M8	80	GL.4.4.08008080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M8-100	黑 Black	尼龙 Nylon	M8	100	GL.4.4.08008100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M10-80	黑 Black	尼龙 Nylon	M10	80	GL.4.4.08010080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M10-100	黑 Black	尼龙 Nylon	M10	100	GL.4.4.08010100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M12-50	黑 Black	尼龙 Nylon	M12	50	GL.4.4.08012050.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.08012080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.08012100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M16-80	黑 Black	尼龙 Nylon	M16	80	GL.4.4.08016080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D80-M16-100	黑 Black	尼龙 Nylon	M16	100	GL.4.4.08016100.1.1



D100 系列 D100 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向无孔 Nylon Universal Non-hole	D100-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.10012080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.10012100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M16-80	黑 Black	尼龙 Nylon	M16	80	GL.4.4.10016080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M16-100	黑 Black	尼龙 Nylon	M16	100	GL.4.4.10016100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M20-80	黑 Black	尼龙 Nylon	M20	80	GL.4.4.10020080.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M20-100	黑 Black	尼龙 Nylon	M20	100	GL.4.4.10020100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M20-120	黑 Black	尼龙 Nylon	M20	120	GL.4.4.10020120.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M24-100	黑 Black	尼龙 Nylon	M24	100	GL.4.4.10024100.1.1
尼龙万向无孔 Nylon Universal Non-hole	D100-M24-120	黑 Black	尼龙 Nylon	M24	120	GL.4.4.10024120.1.1



尼龙万向双孔地脚
 Nylon Universal Double Hole Leveling Foot

D80 系列 D80 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向双孔 Nylon Universal Double Hole	D80-M8-50	黑 Black	尼龙 Nylon	M8	50	GL.4.4.08008050.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M8-80	黑 Black	尼龙 Nylon	M8	80	GL.4.4.08008080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M8-100	黑 Black	尼龙 Nylon	M8	100	GL.4.4.08008100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M10-80	黑 Black	尼龙 Nylon	M10	80	GL.4.4.08010080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M10-100	黑 Black	尼龙 Nylon	M10	100	GL.4.4.08010100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M12-50	黑 Black	尼龙 Nylon	M12	50	GL.4.4.08012050.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.08012080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.08012100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M16-80	黑 Black	尼龙 Nylon	M16	80	GL.4.4.08016080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D80-M16-100	黑 Black	尼龙 Nylon	M16	100	GL.4.4.08016100.2.1



D100 系列 D100 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
尼龙万向双孔 Nylon Universal Double Hole	D100-M12-80	黑 Black	尼龙 Nylon	M12	80	GL.4.4.10012080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M12-100	黑 Black	尼龙 Nylon	M12	100	GL.4.4.10012100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M16-80	黑 Black	尼龙 Nylon	M16	80	GL.4.4.10016080.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M16-100	黑 Black	尼龙 Nylon	M16	100	GL.4.4.10016100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M20-100	黑 Black	尼龙 Nylon	M20	100	GL.4.4.10020100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M20-120	黑 Black	尼龙 Nylon	M20	120	GL.4.4.10020120.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M24-100	黑 Black	尼龙 Nylon	M24	100	GL.4.4.10024100.2.1
尼龙万向双孔 Nylon Universal Double Hole	D100-M24-120	黑 Black	尼龙 Nylon	M24	120	GL.4.4.10024120.2.1



重型碳钢无孔地脚
 Heavy Carbon Steel Non-hole Leveling Foot

D40 系列 D40 Series





类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M8-50	银白 Silvery White	碳钢 Carbon Steel	M8	50	GL.4.4.04008050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M8-80	银白 Silvery White	碳钢 Carbon Steel	M8	80	GL.4.4.04008080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M8-100	银白 Silvery White	碳钢 Carbon Steel	M8	100	GL.4.4.04008100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M10-50	银白 Silvery White	碳钢 Carbon Steel	M10	50	GL.4.4.04010050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M10-80	银白 Silvery White	碳钢 Carbon Steel	M10	80	GL.4.4.04010080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M10-100	银白 Silvery White	碳钢 Carbon Steel	M10	100	GL.4.4.04010100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M12-50	银白 Silvery White	碳钢 Carbon Steel	M12	50	GL.4.4.04012050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M12-80	银白 Silvery White	碳钢 Carbon Steel	M12	80	GL.4.4.04012080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D40-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.04012100.3.1

D50 系列 D50 Series





类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M8-50	银白 Silvery White	碳钢 Carbon Steel	M8	50	GL.4.4.05008050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M8-80	银白 Silvery White	碳钢 Carbon Steel	M8	80	GL.4.4.05008080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M8-100	银白 Silvery White	碳钢 Carbon Steel	M8	100	GL.4.4.05008100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M10-50	银白 Silvery White	碳钢 Carbon Steel	M10	50	GL.4.4.05010050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M10-80	银白 Silvery White	碳钢 Carbon Steel	M10	80	GL.4.4.05010080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M10-100	银白 Silvery White	碳钢 Carbon Steel	M10	100	GL.4.4.05010100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M12-50	银白 Silvery White	碳钢 Carbon Steel	M12	50	GL.4.4.05012050.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M12-80	银白 Silvery White	碳钢 Carbon Steel	M12	80	GL.4.4.05012080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D50-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.05012100.3.1

D60 系列 D60 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M12-80	银白 Silvery White	碳钢 Carbon Steel	M12	80	GL.4.4.06012080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.06012100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M12-120	银白 Silvery White	碳钢 Carbon Steel	M12	120	GL.4.4.06012120.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M12-150	银白 Silvery White	碳钢 Carbon Steel	M12	150	GL.4.4.06012150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M16-100	银白 Silvery White	碳钢 Carbon Steel	M16	100	GL.4.4.06016100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M16-120	银白 Silvery White	碳钢 Carbon Steel	M16	120	GL.4.4.06016120.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M16-150	银白 Silvery White	碳钢 Carbon Steel	M16	150	GL.4.4.06016150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M20-100	银白 Silvery White	碳钢 Carbon Steel	M20	100	GL.4.4.06020100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M20-150	银白 Silvery White	碳钢 Carbon Steel	M20	150	GL.4.4.06020150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D60-M20-200	银白 Silvery White	碳钢 Carbon Steel	M20	200	GL.4.4.06020200.3.1



D80 系列 D80 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M12-80	银白 Silvery White	碳钢 Carbon Steel	M12	80	GL.4.4.08012080.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.08012100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M12-120	银白 Silvery White	碳钢 Carbon Steel	M12	120	GL.4.4.08012120.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M12-150	银白 Silvery White	碳钢 Carbon Steel	M12	150	GL.4.4.08012150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M16-100	银白 Silvery White	碳钢 Carbon Steel	M16	100	GL.4.4.08016100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M16-120	银白 Silvery White	碳钢 Carbon Steel	M16	120	GL.4.4.08016120.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M16-150	银白 Silvery White	碳钢 Carbon Steel	M16	150	GL.4.4.08016150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M20-100	银白 Silvery White	碳钢 Carbon Steel	M20	100	GL.4.4.08020100.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M20-150	银白 Silvery White	碳钢 Carbon Steel	M20	150	GL.4.4.08020150.3.1
重型碳钢无孔 Heavy Carbon Steel Non-hole	D80-M20-200	银白 Silvery White	碳钢 Carbon Steel	M20	200	GL.4.4.08020200.3.1



重型碳钢双孔地脚
 Heavy Carbon Steel Double-hole Leveling Foot

D100 系列 D100 Series





类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.10012100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M12-120	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.10012120.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M12-150	银白 Silvery White	碳钢 Carbon Steel	M12	120	GL.4.4.10012150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M16-100	银白 Silvery White	碳钢 Carbon Steel	M12	150	GL.4.4.10016100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M16-120	银白 Silvery White	碳钢 Carbon Steel	M16	100	GL.4.4.10016120.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M16-150	银白 Silvery White	碳钢 Carbon Steel	M16	120	GL.4.4.10016150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M20-100	银白 Silvery White	碳钢 Carbon Steel	M16	150	GL.4.4.10020100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M20-150	银白 Silvery White	碳钢 Carbon Steel	M20	100	GL.4.4.10020150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D100-M20-200	银白 Silvery White	碳钢 Carbon Steel	M20	150	GL.4.4.10020200.4.1

D120 系列 D120 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M12-100	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.12012100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M12-120	银白 Silvery White	碳钢 Carbon Steel	M12	100	GL.4.4.12012120.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M12-150	银白 Silvery White	碳钢 Carbon Steel	M12	120	GL.4.4.12012150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M16-100	银白 Silvery White	碳钢 Carbon Steel	M12	150	GL.4.4.12016100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M16-120	银白 Silvery White	碳钢 Carbon Steel	M16	100	GL.4.4.12016120.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M16-150	银白 Silvery White	碳钢 Carbon Steel	M16	120	GL.4.4.12016150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M20-100	银白 Silvery White	碳钢 Carbon Steel	M16	150	GL.4.4.12020100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M20-150	银白 Silvery White	碳钢 Carbon Steel	M20	100	GL.4.4.12020150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D120-M20-200	银白 Silvery White	碳钢 Carbon Steel	M20	150	GL.4.4.12020200.4.1

D150 系列 D150 Series



类别 Series	型号 Type No.	颜色 Color	地脚材质 Material	A	B	订货编号 Order No.
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M16-100	银白 Silvery White	碳钢 Carbon Steel	M16	100	GL.4.4.15016100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M16-150	银白 Silvery White	碳钢 Carbon Steel	M16	150	GL.4.4.15016150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M16-200	银白 Silvery White	碳钢 Carbon Steel	M16	200	GL.4.4.15016200.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M20-100	银白 Silvery White	碳钢 Carbon Steel	M20	100	GL.4.4.15020100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M20-150	银白 Silvery White	碳钢 Carbon Steel	M20	150	GL.4.4.15020150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M20-200	银白 Silvery White	碳钢 Carbon Steel	M20	200	GL.4.4.15020200.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M24-100	银白 Silvery White	碳钢 Carbon Steel	M24	100	GL.4.4.15024100.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M24-150	银白 Silvery White	碳钢 Carbon Steel	M24	150	GL.4.4.15024150.4.1
重型碳钢双孔 Heavy Carbon Steel Double Hole	D150-M24-200	银白 Silvery White	碳钢 Carbon Steel	M24	200	GL.4.4.15024200.4.1



Floor Mount Base Connector

>>> 地脚连接件


特点：可根据安装环境选择样式及规格，搭配膨胀螺栓使用
Features: The style and specifications can be selected according to the installation environment, and it can be used with expansion bolts

用途：用于铝型材机架底部与底面的固定
Application: Used for fixing the bottom and bottom surface of the aluminum profile rack



地脚连接件 A 型

Floor Mount Base Connector A-Type

4040L




4040R



型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4040L	碳钢 Carbon Steel	黑 Black		40.4.5.4040.1.1.1
40	4040L	碳钢 Carbon Steel	黑 Black	2 × C2+1 × O1	40.4.5.4040.1.1.2
40	4040R	碳钢 Carbon Steel	黑 Black		40.4.5.4040.1.2.1
40	4040R	碳钢 Carbon Steel	黑 Black	2 × C2+1 × O1	40.4.5.4040.1.2.2


编号 Item No.	紧固组件 Fastening Elements
C2	T 型螺栓 40-M8 × 16 T-Bolt 40-M8x16
	法兰螺母 M8 Flange Nut M8
O1	膨胀螺栓 M8 × 80 Expansion Bolt M8x80

地脚连接件 B 型
 Floor Mount Base Connector B-Type



型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030	铝合金 AL-alloy	银白 Silvery White		30.4.5.3030.2.1
30	3030	铝合金 AL-alloy	银白 Silvery White	2 × B3+1 × O2	30.4.5.3030.2.2
30	3060	铝合金 AL-alloy	银白 Silvery White		30.4.5.3060.2.1
30	3060	铝合金 AL-alloy	银白 Silvery White	4 × B3+2 × O2	30.4.5.3060.2.2

编号 Item No.	紧固组件 Fastening Elements
B3	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
O2	膨胀螺栓 M6 × 60 Expansion Bolt M6x60




型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
40	4040	铝合金 AL-Alloy	银白 Silvery White		40.4.5.4040.2.1
40	4040	铝合金 AL-Alloy	银白 Silvery White	2 × C4+1 × O1	40.4.5.4040.2.2
40	4080	铝合金 AL-Alloy	银白 Silvery White		40.4.5.4080.2.1
40	4080	铝合金 AL-Alloy	银白 Silvery White	4 × C4+2 × O1	40.4.5.4080.2.2

编号 Item No.	紧固组件 Fastening Elements
C4	T 型螺栓 40-M8 × 20 T-Bolt 40-M8 × 20
	法兰螺母 M8 Flange Nut M8
O1	膨胀螺栓 M8 × 80 Expansion Bolt M8x80

地脚连接件 C 型 (单组系列)


Floor Mount Base Connector C-Type (Single set series)



型材系列 Profile Series	型号 Type No.	A	B	C	D	E	F	G	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030	100	100	85	14	31	30	8.2	碳钢 Carbon Steel	浅灰 Light Gray		30.4.5.3030.3.1
30	3030	100	100	85	14	31	30	8.2	碳钢 Carbon Steel	浅灰 Light Gray	4 × B2+4 × O1	30.4.5.3030.3.2
40	4040	100	100	120	14	41	40	8.5	碳钢 Carbon Steel	浅灰 Light Gray		40.4.5.4040.3.1
40	4040	100	100	120	14	41	40	8.5	碳钢 Carbon Steel	浅灰 Light Gray	4 × C2+4 × O1	40.4.5.4040.3.2
45	4545	135	135	120	14	46	45	9	碳钢 Carbon Steel	浅灰 Light Gray		45.4.5.4545.3.1
45	4545	135	135	120	14	46	45	9	碳钢 Carbon Steel	浅灰 Light Gray	4 × D2+4 × O1	45.4.5.4545.3.2
50	5050	135	135	120	14	51	50	9	碳钢 Carbon Steel	浅灰 Light Gray		50.4.5.050050.3.1
50-8	5050	135	135	120	14	51	50	9	碳钢 Carbon Steel	浅灰 Light Gray	4 × C2+4 × O1	50.4.5.050050.3.2
50-10	5050	135	135	120	14	51	50	9	碳钢 Carbon Steel	浅灰 Light Gray	4 × D2+4 × O1	50.4.5.050050.3.3

地脚连接件 C 型 (双组系列)


Floor Mount Base Connector C-Type (Two sets series)



型材系列 Profile Series	型号 Type No.	A	B	C	D	E	F	G	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3060	80	100	85	10	61	30	8.2	碳钢 Carbon Steel	浅灰 Light Gray		30.4.5.3060.2.1
30	3060	80	100	85	10	61	30	8.2	碳钢 Carbon Steel	浅灰 Light Gray	8 × B2+4 × O2	30.4.5.3060.2.2
40	4080	140	180	120	14	81	40	8.5	碳钢 Carbon Steel	浅灰 Light Gray		40.4.5.4080.3.1
40	4080	140	180	120	14	81	40	8.5	碳钢 Carbon Steel	浅灰 Light Gray	8 × C2+4 × O1	40.4.5.4080.3.2
45	4590	140	180	120	14	91	45	9	碳钢 Carbon Steel	浅灰 Light Gray		45.4.5.4590.3.1
45	4590	140	180	120	14	91	45	9	碳钢 Carbon Steel	浅灰 Light Gray	8 × D2+4 × O1	45.4.5.4590.3.2
50	50100	140	180	120	14	101	50	9	碳钢 Carbon Steel	浅灰 Light Gray		50.4.5.050100.3.1
50-8	50100	140	180	120	14	101	50	9	碳钢 Carbon Steel	浅灰 Light Gray	8 × C2+4 × O1	50.4.5.050100.3.2
50-10	50100	140	180	120	14	101	50	9	碳钢 Carbon Steel	浅灰 Light Gray	8 × D2+4 × O1	50.4.5.050100.3.3



编号 Item No.	紧固组件 Fastening Elements
B2	T 型螺栓 30-M6 × 12 T-Bolt 30-M6 × 12 法兰螺母 M6 Flange Nut M6
C2	T 型螺栓 40-M8 × 16 T-Bolt 40-M8 × 16 法兰螺母 M8 Flange Nut M8
D2	T 型螺栓 45-M8 × 20 T-Bolt 45-M8 × 20 法兰螺母 M8 Flange Nut M8
O1	膨胀螺栓 M8 × 80 Expansion Bolt M8x80
O2	膨胀螺栓 M6 × 60 Expansion Bolt M6x60

地脚连接件 C 型（四组系列）
Floor Mount Base Connector C-Type (Four sets series)



编号 Item No.	紧固组件 Fastening Elements
B2	T 型螺栓 30-M6 × 12 T-Bolt 30-M6 × 12
	法兰螺母 M6 Flange Nut M6
C2	T 型螺栓 40-M8 × 16 T-Bolt 40-M8 × 16
	法兰螺母 M8 Flange Nut M8
D2	T 型螺栓 45-M8 × 20 T-Bolt 45-M8 × 20
	法兰螺母 M8 Flange Nut M8
O1	膨胀螺栓 M8 × 80 Expansion Bolt M8x80


型材系列 Profile Series	型号 Type No.	A	B	C	D	E	F	G	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	6060	135	135	120	14	61	60	8.2	碳钢 Carbon Steel	浅灰 Light Gray		30.4.5.6060.3.1
30	6060	135	135	120	14	61	60	8.2	碳钢 Carbon Steel	浅灰 Light Gray	12 × B2+4 × O1	30.4.5.6060.3.2
40	8080	180	180	120	14	81	80	8.5	碳钢 Carbon Steel	浅灰 Light Gray		40.4.5.8080.3.1
40	8080	180	180	120	14	81	80	8.5	碳钢 Carbon Steel	浅灰 Light Gray	12 × C2+4 × O1	40.4.5.8080.3.2
45	9090	180	180	120	14	91	90	9	碳钢 Carbon Steel	浅灰 Light Gray		45.4.5.9090.3.1
45	9090	180	180	120	14	91	90	9	碳钢 Carbon Steel	浅灰 Light Gray	12 × D2+4 × O1	45.4.5.9090.3.2
50	100100	180	180	120	14	101	100	9	碳钢 Carbon Steel	浅灰 Light Gray		50.4.5.100100.3.1
50-8	100100	180	180	120	14	101	100	9	碳钢 Carbon Steel	浅灰 Light Gray	12 × C2+4 × O1	50.4.5.100100.3.2
50-10	100100	180	180	120	14	101	100	9	碳钢 Carbon Steel	浅灰 Light Gray	12 × D2+4 × O1	50.4.5.100100.3.3






Organic Glass
 >>> 有机玻璃

特点：又称为亚克力，具有较好的透明性、化学稳定性，颜色多样，易加工，外观优美，可按尺寸及图纸平面切割
 Features: Also known as acrylic, with good transparency, chemical stability, diverse colors, easy processing, beautiful appearance, can be cut according to size and drawing plane
 用途：用于铝型材防护罩的板材填充
 Application: Used for filling the plate of aluminum profile protective cover




类别 Category	厚度 Thickness	最大长度 Max Length	最大宽度 Max Width	颜色 Color	透明度 Transparency	订货编号 Order No.
有机玻璃 Organic Glass	2MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.02.1.1
有机玻璃 Organic Glass	3MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.03.1.1
有机玻璃 Organic Glass	4MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.04.1.1
有机玻璃 Organic Glass	4MM	2400MM	1200MM	蓝色 Blue	半透明 Translucency	PA.5.1.04.2.1
有机玻璃 Organic Glass	4MM	2400MM	1200MM	茶色 Tawny	半透明 Translucency	PA.5.1.04.3.1
有机玻璃 Organic Glass	5MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.05.1.1
有机玻璃 Organic Glass	5MM	2400MM	1200MM	茶色 Tawny	半透明 Translucency	PA.5.1.05.2.1
有机玻璃 Organic Glass	6MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.06.1.1
有机玻璃 Organic Glass	8MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.08.1.1
有机玻璃 Organic Glass	10MM	2400MM	1200MM	无色 Colourless	透明 Translucency	PA.5.1.10.1.1




Polycarbonate Sheet
 >>> 聚碳酸酯板

特点：又称为PC板，具有较好的透明性和冲击韧性，机械强度高，可按尺寸及图纸平面切割
 Features: Also known as PC board, has good transparency and impact toughness, high mechanical strength, can be cut according to size and drawing plane
 用途：用于试验机等行业铝型材防护罩的板材填充
 Application: Used for the plate filling of aluminum profile protective cover in testing machine and other industries




类别 Category	厚度 Thickness	最大长度 Max Length	最大宽度 Max Width	颜色 Color	透明度 Transparency	订货编号 Order No.
聚碳酸酯板 Polycarbonate Sheet	3MM	2400MM	1200MM	无色 Colorless	透明 Translucency	PA.5.2.03.1.1
聚碳酸酯板 Polycarbonate Sheet	4MM	2400MM	1200MM	无色 Colorless	透明 Translucency	PA.5.2.04.1.1
聚碳酸酯板 Polycarbonate Sheet	5MM	2400MM	1200MM	无色 Colorless	透明 Translucency	PA.5.2.05.1.1
聚碳酸酯板 Polycarbonate Sheet	6MM	2400MM	1200MM	无色 Colorless	透明 Translucency	PA.5.2.06.1.1
聚碳酸酯板 Polycarbonate Sheet	8MM	2400MM	1200MM	无色 Colorless	透明 Translucency	PA.5.2.08.1.1




Aluminum Composite Panel
>>> 铝塑板

特点：具有较好的经济性、可选色彩的多样性、便捷的施工方法、优良的加工性能、绝佳的防火性，可按尺寸及图纸平面切割
Features: With good economy, diversity of optional colors, convenient construction methods, excellent processing performance, excellent fire resistance, can be cut according to size and drawing plane
用途：用于铝型材柜体、防护罩的板材填充
Application: Used for aluminum profile cabinet body, protective cover plate filling




类别 Category	厚度 Thickness	最大长度 Max Length	最大宽度 Max Width	颜色 Color	订货编号 Order No.
铝塑板 Aluminum Composite Panel	4MM	2400MM	1200MM	闪银灰 Flash Light Silver Gray	PA.5.3.04.1.1
铝塑板 Aluminum Composite Panel	4MM	2400MM	1200MM	深蓝 Dark Blue	PA.5.3.04.2.1
铝塑板 Aluminum Composite Panel	4MM	2400MM	1200MM	纯白 Pure White	PA.5.3.04.3.1
铝塑板 Aluminum Composite Panel	4MM	2400MM	1200MM	亚光黑 Matte Black	PA.5.3.04.4.1
铝塑板 Aluminum Composite Panel	4MM	2400MM	1200MM	象牙白 Ivory White	PA.5.3.04.5.1



Protective Screening
>>> 防护网

特点：具有较好的经济性、安全性、美观性和实用性
Features: Good economy, safety, aesthetics and practicability

用途：用于防护罩体和围栏的填充，可按尺寸裁切
Application: Used to fill the protective cover and fence, can be cut according to size



类别 Category	丝径 Diameter	最大长度 Max Length	最大宽度 Max Width	颜色 Color	表面处理 Surface Treatment	订货编号 Order No.
防护网 Protective Screening	3.5MM	2400MM	1200MM	银白 Sliver	镀锌 Zinc Coated	PA.5.3.04.1.1
防护网 Protective Screening	3.5MM	2400MM	1200MM	黄色 Yellow	喷塑 Spraying Plastics	PA.5.3.04.2.1
防护网 Protective Screening	3.5MM	2400MM	1200MM	黑色 Black	喷塑 Spraying Plastics	PA.5.3.04.3.1



Spacer Block >>> 间隔块

特点: 可在铝型材槽内90° 旋紧, 安装便捷
Features: It can be tightened 90° in the aluminum profile slot, convenient installation

用途: 用于防护罩体板材的后置可拆安装
Application: Used for the post removable installation of the protective cover body plate

标准系列 Standard Series

3030

4040

4545

编号 Item No.	紧固组件 Fastening Elements
P1	半圆头内六角螺栓 M6 × 20 Hexagon half round head bolt M6x20

型材系列 Profile Series	型号 Type No.	类别 Class	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030	标准 Standard	塑料 Plastic	透明 Translucency		30.5.4.01.1.1
30	3030	标准 Standard	塑料 Plastic	透明 Translucency	1 × P1	30.5.4.01.1.2
40、50-8	4040	标准 Standard	塑料 Plastic	透明 Translucency		40.5.4.02.1.1
40、50-8	4040	标准 Standard	塑料 Plastic	透明 Translucency	1 × P1	40.5.4.02.1.2
45、50-10、60	4545	标准 Standard	塑料 Plastic	透明 Translucency		45.5.4.03.1.1
45、50-10、60	4545	标准 Standard	塑料 Plastic	透明 Translucency	1 × P1	45.5.4.03.1.2

偏心系列 Eccentric Series

3030P

4040P

4545P

编号 Item No.	紧固组件 Fastening Elements
P2	半圆头内六角螺栓 M6 × 25 Hexagon half round head bolt M6x25

型材系列 Profile Series	型号 Type No.	类别 Class	材质 Material	颜色 Color	紧固组件 Fastening Elements	订货编号 Order No.
30	3030P	偏心 Eccentric	塑料 Plastic	透明 Translucency		30.5.4.01.2.1
30	3030P	偏心 Eccentric	塑料 Plastic	透明 Translucency	1 × P2	30.5.4.01.2.2
40、50-8	4040P	偏心 Eccentric	塑料 Plastic	透明 Translucency		40.5.4.02.2.1
40、50-8	4040P	偏心 Eccentric	塑料 Plastic	透明 Translucency	1 × P2	40.5.4.02.2.2
45、50-10、60	4545P	偏心 Eccentric	塑料 Plastic	透明 Translucency		45.5.4.03.2.1
45、50-10、60	4545P	偏心 Eccentric	塑料 Plastic	透明 Translucency	1 × P2	45.5.4.03.2.2




U-shaped Strip
>>> U 型槽条


特点：与铝型材槽安装紧密，安装牢固可靠，可按尺寸裁切
Features: Tight installation with aluminum profile slot, solid and reliable installation, can be cut according to size

用途：用于防护罩体板材的槽内嵌入式安装
Application: Used for embedded installation in the slot of the protective cover body plate


LS-8 标准
LS-8 Standard




LS-8 窄型
LS-8 Narrow



LS-10 标准
LS-10 Standard



型号 Type No.	材质 Material	类别 Class	嵌装板材厚度 Thickness of Plate	颜色 Color	订货编号 Order No.
LS-8	PVC	标准 Standard	3-4MM	黑色 Black	PA.5.5.08.1
LS-8	PVC	窄型 Narrow	1-2MM	黑色 Black	PA.5.5.08.2
LS-10	PVC	标准 Standard	3-5MM	黑色 Black	PA.5.5.10.1




Sealing Strip
>>> 嵌条



特点：与铝型材槽后置塞紧，安装牢固可靠，可按尺寸裁切
Features: Plugged with aluminum profile slot, solid and reliable installation, can be cut according to size

用途：用于防护罩体板材的槽内嵌入式安装
Application: Used for embedded installation in the slot of the s protective cover body plate


LS-6



LS-8



型号 Type No.	材质 Material	颜色 Color	嵌装间隙 Insert gap	订货编号 Order No.
LS-6	橡胶 Rubber	黑色 Black	2-3MM	PA.5.6.02.1
LS-8	橡胶 Rubber	黑色 Black	3-5MM	PA.5.6.04.1




Flat Sealing Strip
>>> 平封槽条


特点：可根据产品需求选择不同颜色搭配使用，可按尺寸裁切
Features: Different colors can be selected according to product needs, and can be cut according to size

用途：用于铝型材表面沟槽的装饰及防尘
Application: Used for decoration and dust prevention of grooves on the surface of aluminum profiles


LS-6 系列
LS-6 Series




LS-8 系列
LS-8 Series



LS-10 系列
LS-10 Series



型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	适用槽宽 Slot Width	订货编号 Order No.
20	LS-6	PVC	黑色 Black	6MM	20.5.7.06.1
20	LS-6	PVC	灰色 Gray	6MM	20.5.7.06.2
20	LS-6	PVC	白色 White	6MM	20.5.7.06.3
30、40、50-8	LS-8	PVC	黑色 Black	8MM	30.5.7.08.1
30、40、50-8	LS-8	PVC	灰色 Gray	8MM	30.5.7.08.2
30、40、50-8	LS-8	PVC	白色 White	8MM	30.5.7.08.3
30、40、50-8	LS-8	PVC	黄色 Yellow	8MM	30.5.7.08.4
30、40、50-8	LS-8	PVC	蓝色 Blue	8MM	30.5.7.08.5
45、50-10、60	LS-10	PVC	黑色 Black	10MM	45.5.7.10.1
45、50-10、60	LS-10	PVC	灰色 Gray	10MM	45.5.7.10.2
45、50-10、60	LS-10	PVC	黄色 Yellow	10MM	45.5.7.10.3
45、50-10、60	LS-10	PVC	蓝色 Blue	10MM	45.5.7.10.4




End Cap
>>> 端盖

特点：ABS材质，可与铝型材端面嵌合安装
Features: ABS material, can be fitted with aluminum profile end


用途：用于铝型材端面的防护
Application: Used for protection of aluminum profile end

20 系列
20 Series



2020R




2040



2080




2020




型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
20	2020R	黑色 Black	ABS	20.5.9.020020.2.1
20	2020	黑色 Black	ABS	20.5.9.020020.1.1
20	2040	黑色 Black	ABS	20.5.9.020040.1.1
20	2080	黑色 Black	ABS	20.5.9.020080.1.1


30 系列
30 Series




型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
30	3030R	黑色 Black	ABS	30.5.9.030030.2.1
30	3030R	灰色 Gray	ABS	30.5.9.030030.2.2
30	3030	黑色 Black	ABS	30.5.9.030030.1.1
30	3030	灰色 Gray	ABS	30.5.9.030030.1.2
30	3060	黑色 Black	ABS	30.5.9.030060.1.1
30	3060	灰色 Gray	ABS	30.5.9.030060.1.2
30	3090	黑色 Black	ABS	30.5.9.030090.1.1
30	6060	黑色 Black	ABS	30.5.9.060060.1.1
30	6060	灰色 Gray	ABS	30.5.9.060060.1.2
30	6090	黑色 Black	ABS	30.5.9.060090.1.1



40 系列
40 Series




型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
40	4040R	黑色 Black	ABS	40.5.9.040040.2.1
40	4040	黑色 Black	ABS	40.5.9.040040.1.1
40	4040	灰色 Gray	ABS	40.5.9.040040.1.2
40	4060	黑色 Black	ABS	40.5.9.040060.1.1
40	4080	黑色 Black	ABS	40.5.9.040080.1.1
40	4080	灰色 Gray	ABS	40.5.9.040080.1.2
40	40120	黑色 Black	ABS	40.5.9.040120.1.1
40	40160	黑色 Black	ABS	40.5.9.040160.1.1
40	8080	黑色 Black	ABS	40.5.9.080080.1.1
40	8080	灰色 Gray	ABS	40.5.9.080080.1.2
40	8840R	黑色 Black	ABS	40.5.9.808040.1.1
40	80120	黑色 Black	ABS	40.5.9.080120.2.1
40	80160	黑色 Black	ABS	40.5.9.080160.2.1




45 系列
45 Series


4545R




4545




4560



4590




9090




型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
45	4545R	黑色 Black	ABS	45.5.9.045045.2.1
45	4545	黑色 Black	ABS	45.5.9.045045.1.1
45	4560	黑色 Black	ABS	45.5.9.045060.1.1
45	4590	黑色 Black	ABS	45.5.9.045090.1.1
45	9090	黑色 Black	ABS	45.5.9.090090.1.1

50 系列
50 Series


5050



50100




100100



型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
50	5050	黑色 Black	ABS	50.5.9.050050.1.1
50	50100	黑色 Black	ABS	50.5.9.050100.2.1
50	100100	黑色 Black	ABS	50.5.9.100100.1.1

60 系列
60 Series

6060



型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
60	6060	黑色 Black	ABS	60.5.9.060060.1.1

专用系列
Special Series

1530G

1640

2040G

2080G

4040K

4040G

8080G

8840G

型材系列 Profile Series	型号 Type No.	颜色 Color	材质 Material	订货编号 Order No.
1530G	1530G	黑色 Black	ABS	ZY.5.9.015030.1.1
1640	1640	黑色 Black	ABS	ZY.5.9.016040.1.1
2040G	2040G	黑色 Black	ABS	ZY.5.9.020040.1.1
2080G	2080G	黑色 Black	ABS	ZY.5.9.020080.1.1
4040K	4040K	黑色 Black	ABS	ZY.5.9.040040.1.1
4040GE	4040G	黑色 Black	ABS	ZY.5.9.040040.2.1
8080G	8080G	黑色 Black	ABS	ZY.5.9.080080.1.1
8840G	8840G	黑色 Black	ABS	ZY.5.9.808040.1.1



Accessories for Workbenches
»» 工作台配件

P162

P163

P164


P165

P166

P167


P168

P169



Shaving Board
>>> 刨花板

特点：结构比较均匀，加工性能好，颜色多样，可按尺寸及图纸平面切割，四周可按板材颜色配置封边
Features: The structure is more uniform, the processing performance is good, the color is diverse, can be cut according to the size and the plane of the drawing, and the edge can be configured according to the color of the plate around
用途：用做各类工作台的面板
Application: Used as the panel of various worktables




类别 Category	厚度 Thickness	最大长度 Max Length	最大宽度 Max Width	颜色 Color	订货编号 Order No.
刨花板 Shaving Board	18MM	2400MM	1200MM	暖白 Warm White	PA.6.1.18.1.1
刨花板 Shaving Board	18MM	2400MM	1200MM	亚麻灰 Gridelin	PA.6.1.18.2.1




Density Board
>>> 密度板

特点：表面光滑平整、材质细密性能稳定，易于加工，可按尺寸及图纸平面切割
Features: Smooth surface, fine material, stable performance, easy to process, can be cut according to size and drawing plane
用途：用做各类工作台的隔板及面板
Application: Used for all kinds of work table partition and panel



类别 Category	厚度 Thickness	最大长度 Max Length	最大宽度 Max Width	订货编号 Order No.
密度板 Density Board	8MM	2400MM	1200MM	PA.6.2.08.1.1
密度板 Density Board	10MM	2400MM	1200MM	PA.6.2.10.1.1
密度板 Density Board	18MM	2400MM	1200MM	PA.6.2.18.1.1




Antistatic Board >>> 防静电桌板

特点：通过刨花板或密度板与防静电胶皮压合加工而成，具有静电防护的效果，可按尺寸及图纸平面切割，四周配置封边

Features: Through particleboard or density board and anti-static rubber pressing processing, with electrostatic protection effect, can be cut according to the size and drawing plane, around the configuration of edge sealing

用途：用做电子工业、实验室等各类工作台的面板

Application: Used as the panel of various worktables in electronic industry, laboratory and so on



类别 Category	厚度 Thickness	表面颜色 Color of Surface	封边颜色 Color of Sealing	最大长度 Max Length	最大宽度 Max Width	订货编号 Order No.
防静电桌板 Antistatic Board	20MM	绿色 Green	黑色 Black	2400MM	1200MM	PA.6.3.20.1.1
防静电桌板 Antistatic Board	20MM	绿色 Green	白色 White	2400MM	1200MM	PA.6.3.20.1.2
防静电桌板 Antistatic Board	30MM	绿色 Green	黑色 Black	2400MM	1200MM	PA.6.3.30.1.1
防静电桌板 Antistatic Board	30MM	绿色 Green	白色 White	2400MM	1200MM	PA.6.3.30.1.2
防静电桌板 Antistatic Board	40MM	绿色 Green	黑色 Black	2400MM	1200MM	PA.6.3.40.1.1
防静电桌板 Antistatic Board	40MM	绿色 Green	白色 White	2400MM	1200MM	PA.6.3.40.1.2



Steering Bracket >>> 转向角件


特点：可进行的型材结构的可调角度连接

Features: Adjustable Angle connection of the profile structure can be made


用途：用做各类工作台托板的角度调节

Application: Used for Angle adjustment of various table brackets


3030




4040




4545



编号 Item No.	紧固组件 Fastening Elements
Q1	沉头内六角螺栓 M6 × 16 Countersunk head hexagon socket bolt M6x16
	弹片螺母 30/40-M6 Shrapnel Nut 30/40-M6
Q2	沉头内六角螺栓 M8 × 20 Countersunk head hexagon socket bolt M8x20
	弹片螺母 30/40-M8 Shrapnel Nut 30/40-M8
Q3	沉头内六角螺栓 M8 × 20 Countersunk head hexagon socket bolt M8x20
	弹片螺母 45-M8 Shrapnel Nut 45-M8




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.6.4.3030.1
30	3030	2 × Q1	30.6.4.3030.2
40	4040		40.6.4.4040.1
40	4040	2 × Q2	40.6.4.4040.2
45	4545		45.6.4.4545.1
45	4545	2 × Q3	45.6.4.4545.2




Steering Connector
>>> 转向连接板

特点：可进行的型材结构的可调角度连接
Features: Adjustable Angle connection of the profile structure can be made

用途：用做各类工作台托板的角度调节
Application: Used for Angle adjustment of various table brackets



编号 Item No.	紧固组件 Fastening Elements
B1	圆柱头内六角螺栓 M6 × 12 Cylindrical head hexagon socket bolt M6 × 12
	平垫 M6 Washer M6
	T 型螺母 30-M6 T-Nut 30-M6
C1	圆柱头内六角螺栓 M6 × 16 Cylindrical head hexagon socket bolt M6 × 16
	平垫 M6 Washer M6
	T 型螺母 40-M6 T-Nut 40-M6




型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.6.5.3030.1
30	3030	4 × B1	30.6.5.3030.2
40	4040		40.6.5.4040.1
40	4040	4 × C1	40.6.5.4040.2




Suspended Glider
>>> 活动挂钩

特点：可在铝型材沟槽内往返滑动
Features: It can slide back and forth in the groove of aluminum profile

用途：用做各种工具的吊装
Application: Used for lifting various toolsd for lifting various tools



型材系列 Profile Series	型号 Type No.	材质 Material	颜色 Color	订货编号 Order No.
30、40	3040	锌合金 Zinc Alloy	银白 Silvery White	30.6.6.3040.2
45	4545	锌合金 Zinc Alloy	银白 Silvery White	45.6.6.4545.2







Desktop Connector >>> 桌面连接件

特点：可进行铝型材与板材之间的直角固定
Features: It can be fixed at right angles between aluminum profiles and plates


用途：用做各类工作台台面的连接
Application: Used for all kinds of table surface connection



编号 Item No.	紧固组件 Fastening Elements
R1	圆柱头内六角螺栓 M5 × 10 Cylindrical head hex socket bolt M5x10
	T 型螺母 30-M5 T-Nut 30-M5
	自攻丝 4 × 16 Self-tapping screw 4x16
R2	圆柱头内六角螺栓 M5 × 12 Cylindrical head hex socket bolt M5x12
	T 型螺母 40-M5 T-Nut 40-M5
	自攻丝 4 × 16 Self-tapping screw 4x16
R3	圆柱头内六角螺栓 M5 × 12 Cylindrical head hex socket bolt M5x12
	T 型螺母 45-M5 T-Nut 45-M5
	自攻丝 4 × 16 Self-tapping screw 4x16





型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
30	3030		30.6.7.3030.1
30	3030	2 × R1	30.6.7.3030.2
40	4040		40.6.7.4040.1
40	4040	2 × R2	40.6.7.4040.2
45	4545		45.6.7.4545.1
45	4545	2 × R3	45.6.7.4545.2



Installation Parts For Signboard >>> 看板型材安装件


特点：可进行铝型材看板型材与工作台之间的固定
Features: Can be fixed between the aluminum profile, board and the workbench

用途：用做各类工作台工艺指导书看板的安装
Application: Used for installation of process guide signboard of various workstations



编号 Item No.	紧固组件 Fastening Elements
S1	圆柱头内六角螺栓 M4 × 12 Cylindrical head hex socket bolt M4x12
	T 型螺母 30-M4 T-Nut 30-M4
S2	圆柱头内六角螺栓 M4 × 16 Cylindrical head hex socket bolt M4x16
	T 型螺母 40-M4 T-Nut 40-M4
S3	圆柱头内六角螺栓 M4 × 16 Cylindrical head hex socket bolt M4x16
	T 型螺母 45-M4 T-Nut 45-M4


型材系列 Profile Series	型号 Type No.	紧固组件 Fastening Elements	订货编号 Order No.
1028	看板型材安装件 Installation parts for signboard		ST.6.8.01.01
1028+30	看板型材安装件 Installation parts for signboard	2 × S1	ST.6.8.01.02
1028+40、50-8	看板型材安装件 Installation parts for signboard	2 × S2	ST.6.8.01.03
1028+45、50-10、60	看板型材安装件 Installation parts for signboard	2 × S3	ST.6.8.01.04




28 Series Frame Profiles

>>> 28 系列线棒型材


特点: 通用性标准线棒, 兼备功能性与强度, 用于主体结构的搭建
Features: universal standard frame profile, with both functionality and strength, for the construction of the main structure




基础线棒
Foundation Frame




T 型槽线棒
T-slot Frame




加强线棒
Reinforced Frame




单边线棒
Single Side Frame




双边线棒
Double Side Frame




双联基础线棒
Duplex Foundation Frame




薄壁基础线棒
Thin Wall Foundation Frame




基础线棒
Foundation Frame




T 型槽线棒
T-slot Frame



加强线棒
Reinforced Frame




单边线棒
Single Side Frame




双边线棒
Double Side Frame

名称分类 Category	型号 Type No.	材质 Material	标准长度 (mm) Standard Length	订货编号 Order No.
基础线棒 Foundation Frame	LSJ28-01A	6063-T5	4000	JY.7.1.28.01
T 型槽线棒 T-slot Frame	LSJ28-02A	6063-T5	4000	JY.7.1.28.02
加强线棒 Reinforced Frame	LSJ28-03A	6063-T5	4000	JY.7.1.28.03
单边线棒 Single Side Frame	LSJ28-04A	6063-T5	4000	JY.7.1.28.04
双边线棒 Double Side Frame	LSJ28-05A	6063-T5	4000	JY.7.1.28.05
双联基础线棒 Duplex Foundation Frame	LSJ28-06A	6063-T5	4000	JY.7.1.28.06
薄壁基础线棒 Thin Wall Foundation Frame	LSJ28-07A	6063-T5	4000	JY.7.1.28.07

双联基础线棒
Duplex Foundation Frame



薄壁基础线棒
Thin Wall Foundation Frame







28 Series Frame Profile Connectors >>> 28 系列线棒连接件



特点：通用性强，可用于精益管线棒的快速连接
Features: strong versatility, can be used for fast connection of lean pipe & rod

外直接头
Multi Connector Outer Type





名称分类 Category	型号 Type No.	订货编号 Order No.
外直接头 Multi Connector Outer Type	LSJ28-A01	JY.7.2.28.01

双孔功能附件
Dual-hole Functional Accessories





名称分类 Category	型号 Type No.	订货编号 Order No.
双孔功能附件 Dual-hole Functional Accessories	LSJ28-A02	JY.7.2.28.02

平行固定接头 A
Parallel Fixed Connector A





名称分类 Category	型号 Type No.	订货编号 Order No.
平行固定接头 A Parallel Fixed Connector A	LSJ28-A03	JY.7.2.28.03

90° 交叉接头
90° Cross Connector




名称分类 Category	型号 Type No.	订货编号 Order No.
90° 交叉接头 90° Cross Connector	LSJ28-A04	JY.7.2.28.04

平行外抱接头
Parallel External Holder Connector




名称分类 Category	型号 Type No.	订货编号 Order No.
平行外抱接头 Parallel External Holder Connector	LSJ28-A05	JY.7.2.28.05

双管外直接头
Multi Connector Outer Type (Double Pipes)




名称分类 Category	型号 Type No.	订货编号 Order No.
双管外直接头 Multi Connector Outer Type (Double Pipes)	LSJ28-A06	JY.7.2.28.06

外抱式底座
External Holding Pedestal




名称分类 Category	型号 Type No.	订货编号 Order No.
外抱式底座 External Holding Pedestal	LSJ28-A07	JY.7.2.28.07

平行加长接头
Parallel Extension Connector




名称分类 Category	型号 Type No.	订货编号 Order No.
平行加长接头 Parallel Extension Connector	LSJ28-A08	JY.7.2.28.08

平行固定接头 B-L30
Parallel Fixed Connector B-L30






名称分类 Category	型号 Type No.	订货编号 Order No.
平行固定接头 B-L30 Parallel Fixed Connector B-L30	LSJ28-A09-L30	JY.7.2.28.09



功能辅件 A
Appendage A



名称分类 Category	型号 Type No.	订货编号 Order No.
功能辅件 A Appendage A	LSJ28-A10	JY.7.2.28.10





功能辅件 B
Appendage B





名称分类 Category	型号 Type No.	订货编号 Order No.
功能辅件 B Appendage B	LSJ28-A11	JY.7.2.28.11

圆头挂钩
Round Nose Hook





名称分类 Category	型号 Type No.	订货编号 Order No.
圆头挂钩 Round Nose Hook	LSJ28-A12	JY.7.2.28.12

90° 直角固定接头
Fixed Connector 90°





名称分类 Category	型号 Type No.	订货编号 Order No.
90° 直角固定接头 Fixed Connector 90°	LSJ28-A13	JY.7.2.28.13

加强外直接头
Strengthen Connector Outer Type





名称分类 Category	型号 Type No.	订货编号 Order No.
加强外直接头 Strengthen Connector Outer Type	LSJ28-A14	JY.7.2.28.14

平行固定接头 B-L50
Parallel Fixed Connector B-L50





名称分类 Category	型号 Type No.	订货编号 Order No.
平行固定接头 B-L50 Parallel Fixed Connector B-L50	LSJ28-A16-L50	JY.7.2.28.16

扶手接头
Armrest Joint





名称分类 Category	型号 Type No.	订货编号 Order No.
扶手接头 Armrest Joint	LSJ28-A17	JY.7.2.28.17

45° 外接头
Connector Outer Type 45°





名称分类 Category	型号 Type No.	订货编号 Order No.
45° 外接头 Connector Outer Type 45°	LSJ28-A45	JY.7.2.28.18

90° 外接头
Connector Outer Type 90°





名称分类 Category	型号 Type No.	订货编号 Order No.
90° 外接头 Connector Outer Type 90°	LSJ28-A90	JY.7.2.28.19

90° 活动外接头
Free Connector Outer Type 90°





名称分类 Category	型号 Type No.	订货编号 Order No.
90° 活动外接头 Free Connector Outer Type 90°	LSJ28-A90D	JY.7.2.28.20

135° 外接头
Connector Outer Type 135°





名称分类 Category	型号 Type No.	订货编号 Order No.
135° 外接头 Connector Outer Type 135°	LSJ28-A135	JY.7.2.28.21

180° 固定外接头
Fixed Connector Outer Type 180°





名称分类 Category	型号 Type No.	订货编号 Order No.
180° 固定外接头 Fixed Connector Outer Type 180°	LSJ28-A180	JY.7.2.28.22

45° 加强接头
Strengthen Connector 45°





名称分类 Category	型号 Type No.	订货编号 Order No.
45° 加强接头 Strengthen Connector 45°	LSJ28-A4545	JY.7.2.28.23

多角度固定接头
Multi-angle Fixed Connector




名称分类 Category	型号 Type No.	订货编号 Order No.
多角度固定接头 Multi-angle Fixed Connector	LSJ28-T180	JY.7.2.28.24

内直接头
Connector Inner Type




名称分类 Category	型号 Type No.	订货编号 Order No.
内直接头 Connector Inner Type	LSJ28-B01	JY.7.2.28.25

内直旋转接头
Connector Inner Rotate Type




名称分类 Category	型号 Type No.	订货编号 Order No.
内直旋转接头 Connector Inner Rotate Type	LSJ28-B01D	JY.7.2.28.26

基础线棒延伸接头
Direct Extending Connector






名称分类 Category	型号 Type No.	订货编号 Order No.
基础线棒延伸接头 Direct Extending Connector	LSJ28-B02	JY.7.2.28.28


T 型槽内直接头
T-groove Connector



名称分类 Category	型号 Type No.	订货编号 Order No.
T 型槽内直接头 T-groove Connector	LSJ28-B03	JY.7.2.28.29




加强内直接头
Reinforced Connector Inner Vertical Type





名称分类 Category	型号 Type No.	订货编号 Order No.
加强内直接头 Reinforced Connector Inner Vertical Type	LSJ28-B04	JY.7.2.28.30


45° 内接头
Connector Inner Type 45°



名称分类 Category	型号 Type No.	订货编号 Order No.
45° 内接头 Connector Inner Type 45°	LSJ28-B45	JY.7.2.28.31




90° 内接头
Connector Inner Type 90°




名称分类 Category	型号 Type No.	订货编号 Order No.
90° 内接头 Connector Inner Type 90°	LSJ28-B90	JY.7.2.28.32

135° 内接头
Connector Inner Type 135°




名称分类 Category	型号 Type No.	订货编号 Order No.
135° 内接头 Connector Inner Type 135°	LSJ28-B135	JY.7.2.28.33

180° 固定内接头
Fixed Connector Inner Type 180°





名称分类 Category	型号 Type No.	订货编号 Order No.
180° 固定内接头 Fixed Connector Inner Type 180°	LSJ28-B180	JY.7.2.28.34

外抱直接头
Connector Vertical Type





名称分类 Category	型号 Type No.	订货编号 Order No.
外抱直接头 Connector Vertical Type	LSJ28-C01	JY.7.2.28.35

外抱 90° 接头
Connector Vertical Type 90°



名称分类 Category	型号 Type No.	订货编号 Order No.
外抱 90° 接头 Connector Vertical Type 90°	LSJ28-C02	JY.7.2.28.36

外抱十字接头
Cross Connector Vertical Type





名称分类 Category	型号 Type No.	订货编号 Order No.
外抱十字接头 Cross Connector Vertical Type	LSJ28-C04	JY.7.2.28.38

28 Series Frame Profile Accessories >>> 28 系列线棒辅件



特点：通用性强，可用于精益管线棒的功能性安装
Application: strong versatility, can be used for functional installation of lean pipeline rod

一体式固定脚座
Integrated Fixed Foot Connector





名称分类 Category	型号 Type No.	订货编号 Order No.
一体式固定脚座 Integrated Fixed Foot Connector	LSP28-2810	JY.7.3.28.01

基础线棒堵头
Inner Cap





名称分类 Category	型号 Type No.	订货编号 Order No.
基础线棒堵头 Inner Cap	LSP28-01	JY.7.3.28.02

线棒脚套
Frame Foot Cover





名称分类 Category	型号 Type No.	订货编号 Order No.
线棒脚套 Frame Foot Cover	LSP28-02	JY.7.3.28.03

吊牌卡扣
Hangtag Clip





名称分类 Category	型号 Type No.	订货编号 Order No.
吊牌卡扣 Hangtag Clip	LSP28-03	JY.7.3.28.04

标牌卡扣
Signboard Clip





名称分类 Category	型号 Type No.	订货编号 Order No.
标牌卡扣 Signboard Clip	LSP28-04	JY.7.3.28.05

5.3MM 面板卡槽
5.3MM Panel Holder





名称分类 Category	型号 Type No.	订货编号 Order No.
5.3MM 面板卡槽 5.3MM Panel Holder	LSP28-06	JY.7.3.28.06

平面防磨卡扣
Flat Anti-wear Buckle





名称分类 Category	型号 Type No.	订货编号 Order No.
平面防磨卡扣 Flat Anti-wear Buckle	LSP28-07BW	JY.7.3.28.07

加强线棒堵头
 Loaded Frame Insert






名称分类 Category	型号 Type No.	订货编号 Order No.
加强线棒堵头 Loaded Frame Plug	LSP28-11	JY.7.3.28.10

T 型槽线棒堵头
 T Slot Frame Insert






名称分类 Category	型号 Type No.	订货编号 Order No.
T 型槽线棒堵头 T Slot Frame Plug	LSP28-12	JY.7.3.28.11

暗藏式导线卡槽
 Hidden Wire Slot



名称分类 Category	型号 Type No.	订货编号 Order No.
暗藏式导线卡槽 Hidden Wire Slot	LSP28-15	JY.7.3.28.12

C 型线棒防护套
 Pipe Cover




名称分类 Category	型号 Type No.	订货编号 Order No.
C 型线棒防护套 Pipe Cover	LSP28-16	JY.7.3.28.13

台板固定卡扣
 Plate Positioner



名称分类 Category	型号 Type No.	订货编号 Order No.
台板固定卡扣 Plate Positioner	LSE28-01	JY.7.3.28.14

脚轮固定组件
 Caster Supportor



名称分类 Category	型号 Type No.	订货编号 Order No.
脚轮固定组件 Caster Supportor	LSE28-02	JY.7.3.28.15

山东蓝思铝业科技有限公司承诺不断提高产品质量，因此保留在不经通知的情况下对产品进行技术改造和修正误差的权利。

本产品样册知识产权归山东蓝思铝业科技有限公司所有，未经我司书面同意，不得擅自用样册内文本及插图进行任何类型的复制、翻印。

Shandong Lansi Aluminum Technology Co., Ltd. promises to continuously improve product quality, so it reserves the right to make technical changes and correct errors without notice.

The intellectual property rights of this product catalog are owned by Shandong Lansi Aluminum Technology Co., Ltd. Without the written consent of our company, any type of copying or reprinting of the text and illustrations in the catalog is prohibited.

地 址：山东省济南市历城区工业北路3789号
山发展·绿动谷产业园

电 话：0531-86950229

手 机：15552556056

网 址：www.sdlsap.com

Alibaba 网址：lsly.en.alibaba.com

邮 箱：lsap_sd@163.com

Address: No. 3789 Industrial North Road, Mountain development · Green
Valley Industrial Park, Licheng District, Jinan City, Shandong Province

Tel: 0531-86950229

Mobile: 15552556056

Website: www.sdlsap.com

Website on alibaba.com: lsly.en.alibaba.com

E-mail: lsap_sd@163.com